

 **ALFAGOMMA**

www.alfagomma.com

INDUSTRIAL FITTINGS



Australian Product Catalogue

Oct - 2010

INDEX BY PRODUCT TYPE

COMPRESSED AIR		Page
Type A Claw Couplings - OptiLoc™		
I919L300	Type A Coupling to Hose End	1
I9A9L206	Type A Coupling to Male BSPT	1
I9A9L306	Type A Coupling to Female BSP	1
I9Y9L001	Type A Coupling - 3-way	1
INJM9L	Type A Seal	1
Type B Claw Couplings		
I919K300	Type B Coupling to Hose End	2
I9A9K207	Type B Coupling to Male BSPT	2
I9A9K307	Type B Coupling to Female BSP	2
INJM9K	Type B Seal	2
Type S Claw Couplings - OptiLoc™		
I919N300	Type S Coupling to Hose End	3
I9A9N207	Type S Coupling to Male BSPT	3
I9A9N306	Type S Coupling to Female BSP	3
I9Y9N00	Type S Coupling - 3-way	3
INJM9N	Type S Seal	3
Claw Couplings - OptiLoc™ - Accessories		
I1Y9N00	Safety Locking Pin	4
I1156100	Hose Joiner - Heavy Duty	4
I1OL106	Oil Mist Lubricator - Female BSP	4
I1A9RA07	Manifolds - 2" Victaulic to Male BSPT	4
I1A9RB07	Manifolds - 4" Victaulic to Male BSPT	5
Claw Couplings - OptiLoc™ - Clamps		
I1LG2M	Claw Clamp	6
I1LG2M	Claw Clamp - With Safety Chain Lugs	6
I1LG2M	Claw Clamp - Suplied with Safety Chain Lugs	6
Claw Couplings - OptiLoc™ - Permanent Crimped Assemblies		
I101U	OptiLoc™ Ferrule	6
Nitto - Quick Connect Couplings		
I16N1200	Nitto Female Coupling to Hose End	7
I16N1200-L	Nitto Female Lockable Coupling to Hose End	7
I1AN1F106F	Nitto Female Coupling to Female BSP	7
I1AN1F106F-L	Nitto Female Lockable Coupling to Female BSP	7
I1AN1F107M	Nitto Female Coupling to Male BSP	7
I1AN1F107M-L	Nitto Female Lockable Coupling to Male BSP	7
I16N1100	Nitto Male Coupling to Hose End	7
I1AN1M106F	Nitto Male Coupling to Female BSP	8
I1AN0M406F	Nitto Male Swivel Coupling to Female BSP 450	8
I1AN0M107M	Nitto Male Coupling to Male BSP	8
I1AN0M407M	Nitto Male Swivel Coupling to Male BSP 450	8
I16N1200	Nitto Female Coupling to Hose End	8
I1AN1F106F	Nitto Female Coupling to Female BSP	8
I1AN1F107M	Nitto Female Coupling to Male BSP	8
I16N1100	Nitto Male Coupling to Hose End	9
I1AN1M106F	Nitto Male Coupling to Female BSP	9
I1AN1M107M	Nitto 100 Series Male Coupling to Male BSP	9

WATER		Page
Type B Couplings - Bauer Compatible		
I119B300	Type B Complete Set	10
I119B30H	Type B Heavy Duty Complete Set	10
Type B Coupling Components- Bauer Compatible		
I11SB100	Type B Male to Hose End	10
I11SB10H	Type B Male to Heavy Duty Hose End	10
I1Y9B	Type B Male Closure Lever	10
I119B200	Type B Female to Hose End - Gasket included	11
I119B20H	Type B Female to Heavy Duty Hose End - Gasket not included	11
ISJM9B	Type B Female Rubber Gasket	11

INDEX BY PRODUCT TYPE

WATER cont.

		Page
Type B Adaptors - Bauer Compatible		
I1ASB507	Type B Male to Male BSPT	11
I1A9B007	Type B Female to Male BSPT - Gasket included	11
I1ABZ29B	Type B Male to Flange - Closure Lever included	12
I1ABZ39B	Type B Female to Flange - Gasket included	12
Type B Weld Ons - Bauer Compatible		
I0BSB100	Type B Male Weld On (Unplated)	12
I0Y9B	Type B Male Closure Lever (Unplated)	12
I0B9B200	Type B Female Weld On - Gasket included (Unplated)	12
Shouldered Hose Ends & Couplings		
I169R000	Shouldered Hose End	13
I9C9R	Shouldered Coupling - Gasket included	13

STORZ

I519Z300	Storz Hose End - Suction and Delivery	14
I5A9Z206	Storz to Male BSP - Gasket included	14
I5A9Z306	Storz to Female BSP - Gasket included	14
I5A9Z400	Storz Blank Cap with Chain - Gasket included	15

STEAM

		Page
Ground Joint Seal Couplings & Adaptors		
I918B206	Ground Joint Seal - Complete Coupling - Female BSP	16
I918B228	Ground Joint Seal - Complete Coupling - Female NPT	16
I918B107	Ground Joint Seal - Male BSP - Hose End	16
I918B128	Ground Joint Seal - Male NPT - Hose End	16
I918BC00	Ground Joint Seal - Coupling Hose End	17
I9D8B03	Ground Joint Seal - Coupling Swivel Nut	17
I9A8BA8B	Male Ground Joint thread to Male Ground Joint	17
I9A8B507	Male Ground Joint Thread to Male BSP	17
I9A8B528	Male Ground Joint Thread to Male NPT	18
I9A8B607	Male Ground Joint Thread to Female BSP	18
I9A8B628	Male Ground Joint Thread to Female NPT	18
Ground Joint Clamps		
I9LG2F	Ground Joint Clamp - 2 Bolt - 2 Claw type	19
I9LG4F	Ground Joint Clamp - 4 Bolt - 2 Claw type	19
I9LG6F	Ground Joint Clamp - 6 Bolt - 3 Claw type	19
Alfacrimp Hydraulic Fittings		
C124	Complete One Piece Fittings *CONSULT ALFAGOMMA ALFACRIMP CATALOGUE	19

CAMLOCK CAM & GROOVE

		Page
Type A - Male to Female BSP		
I5A9C606	Aluminium	20
I3A9C606	Stainless Steel	20
I8A9C606	Brass	20
IPA9C606	Polypropylene	20
Type B - Female to Male BSPT		
I5A9C007	Aluminium	21
I3A9C007	Stainless Steel	21
I8A9C007	Brass	21
IPA9C007	Polypropylene	21
Type C - Female to Hose End		
I519C200	Aluminium	22
I319C200	Stainless Steel	22
I819C200	Brass	22
IP19C200	Polypropylene	22

INDEX BY PRODUCT TYPE

CAMLOCK CAM & GROOVE cont.

		Page
Type D - Female to Female BSP		
I5A9C806	Aluminium	23
I3A9C806	Stainless Steel	23
I8A9C806	Brass	23
IPA9C806	Polypropylene	23
Type E - Male to Hose End		
I519C100	Aluminium	24
I319C100	Stainless Steel	24
I819C100	Brass	24
IP19C100	Polypropylene	24
Type F - Male to Male BSPT		
I5A9C507	Aluminium	25
I3A9C507	Stainless Steel	25
I8A9C507	Brass	25
IPA9C507	Polypropylene	25
Type DC - Female Dust Cap		
I5A9C900	Aluminium	26
I3A9C900	Stainless Steel	26
I8A9C900	Brass	26
IPA9C900	Polypropylene	26
Type DP - Male Dust Plug		
I5A9C700	Aluminium	27
I3A9C700	Stainless Steel	27
I8A9C700	Brass	27
IPA9C700	Polypropylene	27
Type LA - Male to Table D Flange		
I5A9C6BZ	Aluminium	28
I3A9C6BZ	Stainless Steel	28
I8A9C6BZ	Brass	28
Type LD - Female to Table D Flange		
I5A9C8BZ	Aluminium	29
I3A9C8BZ	Stainless Steel	29
I8A9C8BZ	Brass	29
Gasket		
INJ09C	Nitrile	30
IJ09C	Viton	30
Handle, Ring & Pin		
I3Y9C00	Stainless Steel	30
I8Y9C00	Brass	30

COMBINATION NIPPLES & JOINERS

		Page
I1607100	Male BSPT - Light Duty	31
I1607100	Male BSPT - Light Duty	31
I1656100	Hose Joiner - Light Duty	31
I1707M00	Male BSPT - Alfacrimp™	32
I1728M00	Male NPT - Alfacrimp™	32
I17F8M00	Male NPT Extended - Off Shore - Alfacrimp™	32
I37F8M00	Male NPT Extended - Off Shore - Stainless Steel - Alfacrimp™	32

FLANGE

		Page
I1FBZ000	Table D - Fixed Flange	33
I1FC8000	Table E - Fixed Flange	33
I17BE67B	ANSI 150 - Fixed Flange	33
I1BE79A	ANSI 150 - Swivel Flange	33
I3BE79A	ANSI 150 - Swivel Flange - Stainless Steel	33

INDEX BY PRODUCT TYPE

CONCRETE

		Page
IV39RL00	Shouldered Style - Hardened Insert - Alfacrimp™	34
IV39VL00	Victaulic Style - Hardened Insert - Alfacrimp™	34
IV307M00	Male BSPT - Hardened Insert - Alfacrimp™	34
IV306F00	Female BSP - Hardened Insert - Alfacrimp™	34
I939RC00	Shouldered and Victaulic Coupling - Quick Release - Gasket included	34
IA39RG00	Shouldered and Victaulic Coupling - Gasket	34

MUFF COUPLING

		Page
I5MBZ61A	Aluminium Muff Coupling System for Alfacomma 706AA and 707AA Hose	35
I9MBZ61A	Steel Muff Coupling System for Alfacomma 706AA Hose	35

OptiFlo®

		Page
OptiFlo®	Internal Expansion Couplings	36

RESTRAINT AND ENERGY DIFFUSION SYSTEMS

		Page
I1WCL82	Lanyard - Galvanised Steel - Copper Ferrule	36
I3WCL82	Lanyard - Stainless Steel - Copper Ferrule	36
I1WCS51	Stocking - Single Anchor Eye - Galvanized Steel - Aluminium Ferrule	36
I1WCS52	Stocking - Double Anchor Eye - Galvanized Steel - Aluminium Ferrule	36
I1WCS81	Stocking - Single Anchor Eye - Galvanized Steel - Copper Ferrule	36
I1WCS82	Stocking - Double Anchor Eye - Galvanized Steel - Copper Ferrule	36
I3WCS81	Stocking - Single Anchor Eye - Stainless Steel - Copper Ferrule	36

VALVES

		Page
Ball Valves		
I8VB6F6F	Ball Valve - Female BSP - Brass - with Lockable Handle	37
I3VB6F6F-2	Ball Valve - Female BSP - Stainless Steel - 2 piece with Lockable Handle	37
I3VB6F6F-3	Ball Valve - Female BSP - Stainless Steel - 3 piece with Lockable Handle	37
I8VB6F6F	Ball Valve - Female BSP - Brass - with Lockable Handle	37
I9VB6F6F	Ball Valve - Female BSP OptiLoc™ Heavy Duty Mining - with Lockable Handle	38
I9VB9L6F	Ball Valve - Type A to Female BSP OptiLoc™ Heavy Duty Mining - with Lockable Handle	38
I9VB9L7M	Ball Valve - Type A to Male BSPT OptiLoc™ Heavy Duty Mining - with Lockable Handle	38
I9VB9L9L	Ball Valve - Type A OptiLoc™ Heavy Duty Mining - with Lockable Handle	38
I9VB9N6F	Ball Valve - Type S to Female BSP OptiLoc™ Heavy Duty Mining - with Lockable Handle	38
I9VB9N7M	Ball Valve - Type S to Male BSPT OptiLoc™ Heavy Duty Mining - with Lockable Handle	38
I9VB9N9N	Ball Valve - Type S OptiLoc™ Heavy Duty Mining - with Lockable Handle	38
I9VB9R6F	Ball Valve - Shouldered to Female BSP OptiLoc™ Heavy Duty Mining - with Lockable Handle	39
I9VB9R9R	Ball Valve - Shouldered OptiLoc™ Heavy Duty Mining - with Lockable Handle	39
Butterfly Valves		
I9VY9R9R	Butterfly Valve - Shouldered	39
Check Valves		
I8VC6F6F	Check Valve - Swing Type Female BSP - Brass	39
I3VC6F6F	Check Valve - Swing Type Female BSP - Stainless Steel	39
Gate Valves		
I8VG6F6F	Gate Valve - Female BSP - Brass	39
Globe Valve		
I8VO6F6F	Globe Valve - Female BSP - Brass	40
Foot Valve & Strainer		
I8VF6FST	Foot Valve - Female BSP - Brass	40
I1VFHTST	Foot Valve - Hose End	40

INDEX BY PRODUCT TYPE

CLAMPS & FERRULES		Page
Superclamps		
I1LP10	Superclamp - Single Bolt	41
I2LP10	Superclamp - Single Bolt - Stainless Steel	42
Wormdrive Clamps		
I1WDC	Wormdrive Clamp	43
I2WDC	Wormdrive Clamp - Stainless Steel	43
Band-It Systems		
I0LLT0	Banding Tool	44
I2LLF0	Band	44
I2LLB0	Buckle	44
I0PFT0	Preform Clamp Adaptor Tool	44
I2PF00	Preform Clamp	44
I2PFJR	Preform Clamp - Smooth ID	44
I0CPT0	Centre Punch Clamp Tool	45
I2CP00	Centre Punch Clamp	45
I0ULT0	Ultra-Lok Clamp Adaptor Tool	45
I2UL00	Ultra-Lok Clamp	45
Double Bolt Clamps		
I1LP20	Double Bolt Clamp	46
I9LP20	Double Bolt Clamp - DIN 20039A	46
Spiral Clamps		
I1SCR0	Spiral Clamps - for Corrugated Hose - clockwise, left to right spiral construction	46
Crimping Rings		
R1YBFF0	Crimping Ring	47
R2YBFF0	Crimping Ring - Stainless Steel	47
Serrated Ferrules		
I107U	Serrated Ferrule	47
I307U	Serrated Ferrule - Stainless Steel	47
I10609	Serrated Ferrule	47
Hydraulic Ferrule		
H1200203	Serrated Hydraulic and Industrial Ferrule *CONSULT ALFAGOMMA HYDRAULIC CRIMP FITTING CATALOGUE	48

INDEX BY PRODUCT NUMBER

		Page
C124	Complete One Piece Fittings	19
H1200203	Serrated Hydraulic and Industrial Ferrule	48
I0B9B200	Type B Female Weld On - Gasket included (Unplated)	12
I0BSB100	Type B Male Weld On (Unplated)	12
I0CPT0	Centre Punch Clamp Tool	45
I0LLT0	Banding Tool	44
I0PFT0	Preform Clamp Adaptor Tool	44
I0ULT0	Ultra-Lok Clamp Adaptor Tool	45
I0Y9B	Type B Male Closure Lever (Unplated)	12
I101U	OptiLoc™ Ferrule	6
I10609	Serrated Ferrule	47
I107U	Serrated Ferrule	47
I1156100	Hose Joiner - Heavy Duty	4
I119B200	Type B Female to Hose End - Gasket included	11
I119B20H	Type B Female to Heavy Duty Hose End - Gasket not included	11
I119B300	Type B Complete Set	10
I119B30H	Type B Heavy Duty Complete Set	10
I11SB100	Type B Male to Hose End	10
I11SB10H	Type B Male to Heavy Duty Hose End	10
I1607100	Male BSPT - Light Duty	31
I1607100	Male BSPT - Light Duty	31
I1656100	Hose Joiner - Light Duty	31
I169R000	Shouldered Hose End	13
I16N1100	Nitto Male Coupling to Hose End	7
I16N1100	Nitto Male Coupling to Hose End	9
I16N1200	Nitto Female Coupling to Hose End	7
I16N1200	Nitto Female Coupling to Hose End	8
I16N1200-L	Nitto Female Lockable Coupling to Hose End	7
I1707M00	Male BSPT - Alfacrimp™	32
I1728M00	Male NPT - Alfacrimp™	32
I17BE67B	ANSI 150 - Fixed Flange	33
I17F8M00	Male NPT Extended - Off Shore - Alfacrimp™	32
I1A9B007	Type B Female to Male BSPT - Gasket included	11
I1A9RA07	Manifolds - 2" Victaulic to Male BSPT	4
I1A9RB07	Manifolds - 4" Victaulic to Male BSPT	5
I1ABZ29B	Type B Male to Flange - Closure Lever included	12
I1ABZ39B	Type B Female to Flange - Gasket included	12
I1AN0M107M	Nitto Male Coupling to Male BSP	8
I1AN0M406F	Nitto Male Swivel Coupling to Female BSP 450	8
I1AN0M407M	Nitto Male Swivel Coupling to Male BSP 450	8
I1AN1F106F	Nitto Female Coupling to Female BSP	7
I1AN1F106F	Nitto Female Coupling to Female BSP	8
I1AN1F106F-L	Nitto Female Lockable Coupling to Female BSP	7
I1AN1F107M	Nitto Female Coupling to Male BSP	7
I1AN1F107M	Nitto Female Coupling to Male BSP	8
I1AN1F107M-L	Nitto Female Lockable Coupling to Male BSP	7
I1AN1M106F	Nitto Male Coupling to Female BSP	8
I1AN1M106F	Nitto Male Coupling to Female BSP	9
I1AN1M107M	Nitto 100 Series Male Coupling to Male BSP	9
I1ASB507	Type B Male to Male BSPT	11
I1BE79A	ANSI 150 - Swivel Flange	33
I1FBZ000	Table D - Fixed Flange	33
I1FC8000	Table E - Fixed Flange	33
I1LG2M	Claw Clamp	6
I1LG2M	Claw Clamp	6
I1LG2M	Claw Clamp	6
I1LP10	Superclamp - Single Bolt	41
I1LP20	Double Bolt Clamp	46
I1OL106	Oil Mist Lubricator - Female BSP	4
I1SCR0	Spiral Clamps - for Corrugated Hose - clockwise, left to right spiral construction	46
I1VFHTST	Foot Valve - Hose End	40
I1WCL82	Lanyard - Galvanised Steel - Copper Ferrule	36
I1WCS51	Stocking - Single Anchor Eye - Galvanized Steel - Aluminium Ferrule	36

INDEX BY PRODUCT NUMBER

	Page	
I1WCS52	Stocking - Double Anchor Eye - Galvanized Steel - Aluminium Ferrule	36
I1WCS81	Stocking - Single Anchor Eye - Galvanized Steel - Copper Ferrule	36
I1WCS82	Stocking - Double Anchor Eye - Galvanized Steel - Copper Ferrule	36
I1WDC	Wormdrive Clamp	43
I1Y9B	Type B Male Closure Lever	10
I1Y9N00	Safety Locking Pin	4
I2CP00	Centre Punch Clamp	45
I2LLB0	Buckle	44
I2LLF0	Band	44
I2LP10	Superclamp - Single Bolt - Stainless Steel	42
I2PF00	Preform Clamp	44
I2PFJR	Preform Clamp - Smooth ID	44
I2UL00	Ultra-Lok Clamp	45
I2WDC	Wormdrive Clamp - Stainless Steel	43
I307U	Serrated Ferrule - Stainless Steel	47
I319C100	Type E - Male to Hose End - Stainless Steel (MIL C - 27.487)	24
I319C200	Type C - Female to Hose End - Stainless Steel (MIL C - 27.487)	22
I37F8M00	Male NPT Extended - Off Shore - Stainless Steel - Alfacrimp™	32
I3A9C007	Type B - Female to Male BSPT - Stainless Steel (MIL C - 27.487)	21
I3A9C507	Type F - Male to Male BSPT - Stainless Steel (MIL C - 27.487)	25
I3A9C606	Type A - Male to Female BSP - Stainless Steel (MIL C - 27.487)	20
I3A9C6BZ	Type LA - Male to Table D Flange - Stainless Steel (MIL C - 27.487)	28
I3A9C700	Type DP - Male Dust Plug - Stainless Steel (MIL C - 27.487)	27
I3A9C806	Type D - Female to Female BSP - Stainless Steel (MIL C - 27.487)	23
I3A9C8BZ	Type LD - Female to Table D Flange - Stainless Steel (MIL C - 27.487)	29
I3A9C900	Type DC - Female Dust Cap - Stainless Steel (MIL C - 27.487)	26
I3BE79A	ANSI 150 - Swivel Flange - Stainless Steel	33
I3VB6F6F-2	Ball Valve - Female BSP - Stainless Steel - 2 piece with Lockable Handle	37
I3VB6F6F-3	Ball Valve - Female BSP - Stainless Steel - 3 piece with Lockable Handle	37
I3VC6F6F	Check Valve - Swing Type Female BSP - Stainless Steel	39
I3WCL82	Lanyard - Stainless Steel - Copper Ferrule	36
I3WCS81	Stocking - Single Anchor Eye - Stainless Steel - Copper Ferrule	36
I3Y9C00	Handle, Ring & Pin - Stainless	30
I519C100	Type E - Male to Hose End - Aluminium (MIL C - 27.487)	24
I519C200	Type C - Female to Hose End - Aluminium (MIL C - 27.487)	22
I519Z300	Storz Hose End - Suction and Delivery	14
I5A9C007	Type B - Female to Male BSPT - Aluminium (MIL C - 27.487)	21
I5A9C507	Type F - Male to Male BSPT - Aluminium (MIL C - 27.487)	25
I5A9C606	Type A - Male to Female BSP - Aluminium (MIL C - 27.487)	20
I5A9C6BZ	Type LA - Male to Table D Flange - Aluminium (MIL C - 27.487)	28
I5A9C700	Type DP - Male Dust Plug - Aluminium (MIL C - 27.487)	27
I5A9C806	Type D - Female to Female BSP - Aluminium (MIL C - 27.487)	23
I5A9C8BZ	Type LD - Female to Table D Flange - Aluminium (MIL C - 27.487)	29
I5A9C900	Type DC - Female Dust Cap - Aluminium (MIL C - 27.487)	26
I5A9Z206	Storz to Male BSP - Gasket included	14
I5A9Z306	Storz to Female BSP - Gasket included	14
I5A9Z400	Storz Blank Cap with Chain - Gasket included	15
I5MBZ61A	Muff Coupling - Aluminium	35
I819C100	Type E - Male to Hose End - Brass (MIL C - 27.487)	24
I819C200	Type C - Female to Hose End - Brass (MIL C - 27.487)	22
I8A9C007	Type B - Female to Male BSPT - Brass (MIL C - 27.487)	21
I8A9C507	Type F - Male to Male BSPT - Brass (MIL C - 27.487)	25
I8A9C606	Type A - Male to Female BSP - Brass (MIL C - 27.487)	20
I8A9C6BZ	Type LA - Male to Table D Flange - Brass (MIL C - 27.487)	28
I8A9C700	Type DP - Male Dust Plug - Brass (MIL C - 27.487)	27
I8A9C806	Type D - Female to Female BSP - Brass (MIL C - 27.487)	23
I8A9C8BZ	Type LD - Female to Table D Flange - Brass (MIL C - 27.487)	29
I8A9C900	Type DC - Female Dust Cap - Brass (MIL C - 27.487)	26
I8VB6F6F	Ball Valve - Female BSP - Brass - with Lockable Handle	37
I8VB6F6F	Ball Valve - Female BSP - Brass - with Lockable Handle	37
I8VC6F6F	Check Valve - Swing Type Female BSP - Brass	39
I8VF6FST	Foot Valve - Female BSP - Brass	40
I8VG6F6F	Gate Valve - Female BSP - Brass	39


INDEX BY PRODUCT NUMBER

	Page
I8VO6F6F	40
I8Y9C00	30
I918B107	16
I918B128	16
I918B206	16
I918B228	16
I918BC00	17
I919K300	2
I919L300	1
I919N300	3
I939RC00	34
I9A8B507	17
I9A8B528	18
I9A8B607	18
I9A8B628	18
I9A8BA8B	17
I9A9K207	2
I9A9K307	2
I9A9L206	1
I9A9L306	1
I9A9N207	3
I9A9N306	3
I9C9R	13
I9D8B03	17
I9LG2F	19
I9LG4F	19
I9LG6F	19
I9LP20	46
I9MBZ61A	35
I9VB6F6F	38
I9VB9L6F	38
I9VB9L7M	38
I9VB9L9L	38
I9VB9N6F	38
I9VB9N7M	38
I9VB9N9N	38
I9VB9R6F	39
I9VB9R9R	39
I9VY9R9R	39
I9Y9L001	1
I9Y9N00	3
IA39RG00	34
IJ09C	30
INJ09C	30
INJM9K	2
INJM9L	1
INJM9N	3
IP19C100	24
IP19C200	22
IPA9C007	21
IPA9C507	25
IPA9C606	20
IPA9C700	27
IPA9C806	23
IPA9C900	26
ISJM9B	11
IV306F00	34
IV307M00	34
IV39RL00	34
IV39VL00	34
R1YBFF0	47
R2YBFF0	47

COMPRESSED AIR

Type A Claw Coupling - OptiLoc™


I919L300



Type A Coupling to Hose End

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Claw distance mm	Material
I919L300-010042	AHE-038-OP	LS	3/8	10	42	PLATED STEEL
I919L300-013042	AHE-050-OP	LS	1/2	13	42	PLATED STEEL
I919L300-019042	AHE-075-OP	LS	3/4	19	42	PLATED STEEL
I919L300-025042	AHE-100-OP	LS	1	25	42	PLATED STEEL
I919L300-032042	AHE-125-OP	LS	1 1/4	32	42	PLATED STEEL


I9A9L206



Type A Coupling to Male BSPT

Code	A P N	Stock Ref	Thread inch	Thread type	Claw distance mm	Material
I9A9L206-042017	AME-038-OP	LS	3/8	BSPT	42	PLATED STEEL
I9A9L206-042021	AME-050-OP	LS	1/2	BSPT	42	PLATED STEEL
I9A9L206-042027	AME-075-OP	LS	3/4	BSPT	42	PLATED STEEL
I9A9L206-042034	AME-100-OP	LS	1	BSPT	42	PLATED STEEL
I9A9L206-042042	AME-125-OP	NS	1 1/4	BSPT	42	PLATED STEEL


I9A9L306



Type A Coupling to Female BSP

Code	A P N	Stock Ref	Thread inch	Thread type	Claw distance mm	Material
I9A9L306-042017	AFE-038-OP	LS	3/8	BSP	42	PLATED STEEL
I9A9L306-042021	AFE-050-OP	LS	1/2	BSP	42	PLATED STEEL
I9A9L306-042027	AFE-075-OP	LS	3/4	BSP	42	PLATED STEEL
I9A9L306-042034	AFE-100-OP	LS	1	BSP	42	PLATED STEEL
I9A9L306-042042	AFE-125-OP	NS	1 1/4	BSP	42	PLATED STEEL

I9Y9L001



Type A Coupling - 3-way

Code	A P N	Stock Ref	Claw distance mm	Material
I9Y9L001	ATWC-100-OP	LS	42	PLATED STEEL

INJM9L




Type A Seal

Code	A P N	Stock Ref	Claw distance mm	Material
INJM9L-042	ARG-SC-100-NBR	LS	42	NBR

COMPRESSED AIR cont.

Type B Claw Coupling


I919K300



Type B Coupling to Hose End

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Claw distance mm	Material
I919K300-010041		NS	3/8	10	41	PLATED STEEL
I919K300-013041		NS	1/2	13	41	PLATED STEEL
I919K300-019041		NS	3/4	19	41	PLATED STEEL
I919K300-025041		NS	1	25	41	PLATED STEEL


I9A9K207



Type B Coupling to Male BSPT

Code	A P N	Stock Ref	Thread inch	Thread type	Claw distance mm	Material
I9A9K207-041017		NS	3/8	BSPT	41	PLATED STEEL
I9A9K207-041021		NS	1/2	BSPT	41	PLATED STEEL
I9A9K207-041027		NS	3/4	BSPT	41	PLATED STEEL
I9A9K207-041034		NS	1	BSPT	41	PLATED STEEL

I9A9K307



Type B Coupling to Female BSP

Code	A P N	Stock Ref	Thread inch	Thread type	Claw distance mm	Material
I9A9K307-041017		NS	3/8	BSPT	41	PLATED STEEL
I9A9K307-041021		NS	1/2	BSPT	41	PLATED STEEL
I9A9K307-041027		NS	3/4	BSPT	41	PLATED STEEL
I9A9K307-041034		NS	1	BSPT	41	PLATED STEEL

INJM9K




Type B Seal

Code	A P N	Stock Ref	Claw distance mm	Material
INJM9K-041		NS	41	NBR

COMPRESSED AIR cont.

Type S Claw Coupling - OptiLoc™


I919N300



Type S Coupling to Hose End

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Claw distance mm	Material
I919N300-010045	SHE-038-OP	LS	3/8	10	45	PLATED STEEL
I919N300-013045	SHE-050-OP	LS	1/2	13	45	PLATED STEEL
I919N300-019045	SHE-075-OP	LS	3/4	19	45	PLATED STEEL
I919N300-025045	SHE-100-OP	LS	1	25	45	PLATED STEEL
I919N300-032045	SHE-125-OP	NS	1 1/4	32	45	PLATED STEEL
I919N300-038074	SHE-150-OP	LS	1 1/2	38	74	PLATED STEEL
I919N300-051074	SHE-200-OP	LS	2	51	74	PLATED STEEL
I919N300-076117	SHE-300-OP	LS	3	76	117	PLATED STEEL


I9A9N207



Type S Coupling to Male BSPT

Code	A P N	Stock Ref	Thread inch	Thread type	Claw distance mm	Material
I9A9N207-045017	SME-038-OP	LS	3/8	BSPT	45	PLATED STEEL
I9A9N207-045021	SME-050-OP	LS	1/2	BSPT	45	PLATED STEEL
I9A9N207-045027	SME-075-OP	LS	3/4	BSPT	45	PLATED STEEL
I9A9N207-045034	SME-100-OP	LS	1	BSPT	45	PLATED STEEL
I9A9N207-045042	SME-125-OP	LS	1 1/4	BSPT	45	PLATED STEEL
I9A9N207-074049	SME-150-OP	LS	1 1/2	BSPT	74	PLATED STEEL
I9A9N207-074060	SME-200-OP	LS	2	BSPT	74	PLATED STEEL
I9A9N207-117090	SME-300-OP	NS	3	BSPT	117	PLATED STEEL


I9A9N306



Type S Coupling to Female BSP

Code	A P N	Stock Ref	Thread inch	Thread type	Claw distance mm	Material
I9A9N306-045017	SFE-038-OP	LS	3/8	BSP	45	PLATED STEEL
I9A9N306-045021	SFE-050-OP	LS	1/2	BSP	45	PLATED STEEL
I9A9N306-045027	SFE-075-OP	LS	3/4	BSP	45	PLATED STEEL
I9A9N306-045034	SFE-100-OP	LS	1	BSP	45	PLATED STEEL
I9A9N306-045042	SFE-125-OP	NS	1 1/4	BSP	45	PLATED STEEL
I9A9N306-074049	SFE-150-OP	LS	1 1/2	BSP	74	PLATED STEEL
I9A9N306-074060	SFE-200-OP	LS	2	BSP	74	PLATED STEEL
I9A9N306-117090	SFE-300-OP	NS	3	BSP	117	PLATED STEEL

I9Y9N00



Type S Coupling - 3-way

Code	A P N	Stock Ref	Claw distance mm	Material
I9Y9N001	STWC-100-OP	LS	45	PLATED STEEL
I9Y9N002	STWC-200-OP	LS	74	PLATED STEEL

INJM9N




Type S Seal

Code	A P N	Stock Ref	Claw distance mm	Material
INJM9N-045	SRG-SS-100-NBR	LS	45	NBR
INJM9N-074	SRG-SS-200-NBR	LS	74	NBR
INJM9N-117	SRG-SS-300-NBR	NS	117	NBR

COMPRESSED AIR cont.

Claw Coupling - OptiLoc™ - Accessories


I1Y9N00



Safety Locking Pin

Code	A P N	Stock Ref	Pack qty each	Material
I1Y9N003	TSC-00-SP	LS	1000	PLATED STEEL


I1156100



Hose Joiner - Heavy Duty

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Material
I1156100-013013	HJO-050-OP	LS	1/2	13	PLATED STEEL
I1156100-019019	HJO-075-OP	NS	3/4	19	PLATED STEEL
I1156100-025025	HJO-100-OP	LS	1	25	PLATED STEEL
I1156100-038038	HJO-150-OP	LS	1 1/2	38	PLATED STEEL
I1156100-051051	HJO-200-OP	LS	2	51	PLATED STEEL
I1156100-076076	HJO-300-OP	NS	3	76	PLATED STEEL


I1OL106



Oil Mist Lubricator - Female BSP

Code	A P N	Stock Ref	Style	Thread inch	Thread type	Material
I1OL106A-034034		LS	ADJUSTABLE JET	1	BSP	STEEL
I1OL106F-034034		LS	FIXED JET	1	BSP	STEEL

I1A9RA07




Manifolds - 2" Victaulic to Male BSPT

Code	A P N	Stock Ref	End 1 mm	End 2 inch	End 3 inch	Material
I1A9RA07-06700A	M/9199360	LS	67	1	1	PLATED STEEL
I1A9RA07-06700B	M/9199361	LS	67	1 1/2	1	PLATED STEEL


COMPRESSED AIR cont.

I1A9RB07

Manifolds - 4" Victaulic to Male BSPT



Code	A P N	Stock Ref	End 1 mm	End 2 inch	End 3 inch	End 4 inch	Material
I1A9RB07-12200A	M/9199363	LS	122	2	2	1	PLATED STEEL
I1A9RB07-12200B	M/9199362	LS	122	1	1 1/2	1	PLATED STEEL




COMPRESSED AIR cont.

Claw Coupling - OptiLoc™ - Clamp


I1LG2M

Claw Clamp



Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Hose OD min mm	Hose OD max mm	Material
I1LG2M-013022	DBCCP-050-OP	LS	1/2	13	19	24	PLATED STEEL
I1LG2M-013026	DBCCR-050-OP	LS	1/2	13	22	28	PLATED STEEL
I1LG2M-019030	DBCCR-075-OP	LS	3/4	19	29	31	PLATED STEEL
I1LG2M-025034	DBCCP-100-OP	LS	1	25	31	36	PLATED STEEL
I1LG2M-025038	DBCCR-100-OP	LS	1	25	35	40	PLATED STEEL

Claw Clamp - With Safety Chain Lugs



Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Hose OD min mm	Hose OD max mm	Material
I1LG2M-038052	DBCCR-150-OP	LS	1 1/2	38	50	54	PLATED STEEL
I1LG2M-051065	DBCCR-201-OP	LS	2	51	63	67	PLATED STEEL

Supplied with safety chain


Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Hose OD min mm	Hose OD max mm	Material
I1LG2M-038Z52		LS	1 1/2	38	50	54	PLATED STEEL
I1LG2M-051Z65		LS	2	51	63	67	PLATED STEEL
I1LG2M-051Z68	DBCCR-200-OP	LS	2	51	66	70	PLATED STEEL

Claw Coupling - OptiLoc™ - Permanent Crimped Assemblies

Note: OptiLoc™ Ferrules are sold only as part of complete hose assemblies.


I101U

OptiLoc™ Ferrule



Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Hose OD min mm	Hose OD max mm	Material
I101U013-020023	OLF-050-OP	NS	1/2	13	20	23	PLATED STEEL
I101U019-029032	OLF-075-OP	NS	3/4	19	29	32	PLATED STEEL
I101U025-034038	OLF-100-OP	LS	1	25	34	38	PLATED STEEL
I101U032-044048	OLF-125-OP	LS	1 1/4	32	44	48	PLATED STEEL
I101U038-048054	OLF-150-OP	NS	1 1/2	38	48	54	PLATED STEEL
I101U051-062067	OLF-200-OP	LS	2	51	62	67	PLATED STEEL


OptiLoc™ - Permanent Crimped Assemblies offer a slim line solution, minimising the potential for snagging, while providing the highest levels of safety through maximum fitting retention in a tamper proof finished assembly.



COMPRESSED AIR cont.

Nitto - Quick Connect Coupling


I16N1200



Nitto Female Coupling to Hose End

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Material
I16N0200-0060N0	20SH	LS	1/4	6	PLATED STEEL
I16N0200-0100N0	30SH	LS	3/8	10	PLATED STEEL
I16N0200-0130N0	40SH	LS	1/2	13	PLATED STEEL


I16N1200-L



Nitto Female Lockable Coupling to Hose End

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Material
I16N0200-0060N0L	L200-20SH	NS	1/4	6	PLATED STEEL
I16N0200-0100N0L	L200-30SH	NS	3/8	10	PLATED STEEL
I16N0200-0130N0L	L200-40SH	NS	1/2	13	PLATED STEEL


I1AN1F106F



Nitto Female Coupling to Female BSP

Code	A P N	Stock Ref	Thread inch	Thread type	Material
I1AN0F106F-N013	20SF	LS	1/4	BSP	PLATED STEEL
I1AN0F106F-N017	30SF	LS	3/8	BSP	PLATED STEEL
I1AN0F106F-N021	40SF	LS	1/2	BSP	PLATED STEEL


I1AN1F106F-L



Nitto Female Lockable Coupling to Female BSP

Code	A P N	Stock Ref	Thread inch	Thread type	Material
I1AN0F106F-N013L	L200-20SF	NS	1/4	BSP	PLATED STEEL
I1AN0F106F-N017L	L200-30SF	NS	3/8	BSP	PLATED STEEL
I1AN0F106F-N021L	L200-40SF	NS	1/2	BSP	PLATED STEEL


I1AN1F107M



Nitto Female Coupling to Male BSP

Code	A P N	Stock Ref	Thread inch	Thread type	Material
I1AN0F107M-N013	20SM	LS	1/4	BSP	PLATED STEEL
I1AN0F107M-N017	30SM	LS	3/8	BSP	PLATED STEEL
I1AN0F107M-N021	40SM	LS	1/2	BSP	PLATED STEEL


I1AN1F107M-L



Nitto Female Lockable Coupling to Male BSP

Code	A P N	Stock Ref	Thread inch	Thread type	Material
I1AN0F107M-N013L	L200-20SM	NS	1/4	BSP	PLATED STEEL
I1AN0F107M-N017L	L200-30SM	NS	3/8	BSP	PLATED STEEL
I1AN0F107M-N021L	L200-40SM	NS	1/2	BSP	PLATED STEEL

I16N1100




Nitto Male Coupling to Hose End

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Material
I16N0100-0060N0	20PH	LS	1/4	6	PLATED STEEL
I16N0100-0100N0	30PH	LS	3/8	10	PLATED STEEL
I16N0100-0130N0	40PH	LS	1/2	13	PLATED STEEL

COMPRESSED AIR cont.


I1AN1M106F



Nitto Male Coupling to Female BSP

Code	A P N	Stock Ref	Thread inch	Thread type	Material
I1ANOM106F-N013	20PF	LS	1/4	BSP	PLATED STEEL
I1ANOM106F-N017	30PF	LS	3/8	BSP	PLATED STEEL
I1ANOM106F-N021	40PF	LS	1/2	BSP	PLATED STEEL


I1AN0M406F



Nitto Male Swivel Coupling to Female BSP 45°

Code	A P N	Stock Ref	Thread inch	Thread type	Material
I1ANOM406F-0013	RL-20PF	NS	1/4	BSP	PLATED STEEL


I1AN0M107M



Nitto Male Coupling to Male BSP

Code	A P N	Stock Ref	Thread inch	Thread type	Material
I1ANOM107M-N013	20PM	LS	1/4	BSP	PLATED STEEL
I1ANOM107M-N017	30PM	LS	3/8	BSP	PLATED STEEL
I1ANOM107M-N021	40PM	LS	1/2	BSP	PLATED STEEL


I1AN0M407M



Nitto Male Swivel Coupling to Male BSP 45°

Code	A P N	Stock Ref	Thread inch	Thread type	Material
I1ANOM407M-0013	RL-20PM	LS	1/4	BSP	PLATED STEEL
I1ANOM407M-0017	RL-30PM	NS	3/8	BSP	PLATED STEEL


I16N1200



Nitto 100 Series Female Coupling to Hose End

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Material
I16N1200-0130N1	400SH	NS	1/2	13	PLATED STEEL
I16N1200-0190N1	600SH	NS	3/4	19	PLATED STEEL
I16N1200-0250N1	800SH	NS	1	25	PLATED STEEL


I1AN1F106F



Nitto 100 Series Female Coupling to Female BSP

Code	A P N	Stock Ref	Thread inch	Thread type	Material
I1AN1F106F-N121	400SF	NS	1/2	BSP	PLATED STEEL
I1AN1F106F-N127	600SF	NS	3/4	BSP	PLATED STEEL
I1AN1F106F-N134	800SF	NS	1	BSP	PLATED STEEL

I1AN1F107M




Nitto 100 Series Female Coupling to Male BSP

Code	A P N	Stock Ref	Thread inch	Thread type	Material
I1AN1F107M-N121	400SM	NS	1/2	BSP	PLATED STEEL
I1AN1F107M-N127	600SM	NS	3/4	BSP	PLATED STEEL
I1AN1F107M-N134	800SM	NS	1	BSP	PLATED STEEL

COMPRESSED AIR cont.


I16N1100



Nitto 100 Series Male Coupling to Hose End

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Material
I16N1100-0130N1	400PH	NS	1/2	13	PLATED STEEL
I16N1100-0190N1	600PH	NS	3/4	19	PLATED STEEL
I16N1100-0250N1	800PH	NS	1	25	PLATED STEEL


I1AN1M106F



Nitto 100 Series Male Coupling to Female BSP

Code	A P N	Stock Ref	Thread inch	Thread type	Material
I1AN1M106F-N121	400PF	NS	1/2	BSP	PLATED STEEL
I1AN1M106F-N127	600PF	NS	3/4	BSP	PLATED STEEL
I1AN1M106F-N134	800PF	NS	1	BSP	PLATED STEEL

I1AN1M107M




Nitto 100 Series Male Coupling to Male BSP

Code	A P N	Stock Ref	Thread inch	Thread type	Material
I1AN1M107M-N121	400PM	NS	1/2	BSP	PLATED STEEL
I1AN1M107M-N127	600PM	NS	3/4	BSP	PLATED STEEL
I1AN1M107M-N134	800PM	NS	1	BSP	PLATED STEEL

WATER

Type B Coupling - Bauer Compatible


I119B300



Type B Complete Set

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling size mm	Material
I119B300-050050	BCSS-051	LS	2	51	50	PLATED STEEL
I119B300-076076	BCSS-076	LS	3	76	76	PLATED STEEL
I119B300-076089	BCSS-07690	NS	3	76	89	PLATED STEEL
I119B300-102108	BCSS-102	LS	4	102	108	PLATED STEEL
I119B300-125133	BCSS-127	NS	5	127	133	PLATED STEEL
I119B300-152159	BCSS-152	LS	6	152	159	PLATED STEEL
I119B300-203194	BCSS-203	LS	8	203	194	PLATED STEEL

I119B30H




Type B Heavy Duty Complete Set

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling size mm	Material
I119B30H-102108	BCSH-102	NS	4	102	108	PLATED STEEL
I119B30H-152159	BCSH-152	LS	6	152	159	PLATED STEEL
I119B30H-203194	BCSH-203	LS	8	203	194	PLATED STEEL

Type B Coupling Components- Bauer Compatible


I11SB100



Type B Male to Hose End

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling size mm	Material
I11SB100-050050	BCSM-051	LS	2	51	50	PLATED STEEL
I11SB100-076076	BCSM-076	LS	3	76	76	PLATED STEEL
I11SB100-076089	BCSM-07690	NS	3	76	89	PLATED STEEL
I11SB100-102108	BCSM-102	LS	4	102	108	PLATED STEEL
I11SB100-125133	BCSM-127	NS	5	127	133	PLATED STEEL
I11SB100-152159	BCSM-152	LS	6	152	159	PLATED STEEL
I11SB100-203194	BCSM-203	LS	8	203	194	PLATED STEEL


I11SB10H



Type B Male to Heavy Duty Hose End

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling size mm	Material
I11SB10H-102108	BCHM-102	NS	4	102	108	PLATED STEEL
I11SB10H-152159	BCHM-152	LS	6	152	159	PLATED STEEL
I11SB10H-203194	BCHM-203	LS	8	203	194	PLATED STEEL

I1Y9B




Type B Male Closure Lever

Code	A P N	Stock Ref	Coupling size mm	Material
I1Y9B050	BCL-051	LS	50	PLATED STEEL
I1Y9B076	BCL-076	LS	76	PLATED STEEL
I1Y9B089	BCL-090	NS	89	PLATED STEEL
I1Y9B108	BCL-102	LS	108	PLATED STEEL
I1Y9B133	BCL-127	NS	133	PLATED STEEL
I1Y9B159	BCL-152	LS	159	PLATED STEEL
I1Y9B194	BCL-203	LS	194	PLATED STEEL

WATER cont.


I119B200



Type B Female to Hose End - Gasket included

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling size mm	Material
I119B200-050050	BCSF-051	LS	2	51	50	PLATED STEEL
I119B200-076076	BCSF-076	LS	3	76	76	PLATED STEEL
I119B200-076089	BCSF-07690	NS	3	76	89	PLATED STEEL
I119B200-102108	BCSF-102	LS	4	102	108	PLATED STEEL
I119B200-125133	BCSF-127	NS	5	127	133	PLATED STEEL
I119B200-152159	BCSF-152	LS	6	152	159	PLATED STEEL
I119B200-203194	BCSF-203	LS	8	203	194	PLATED STEEL


I119B20H



Type B Female to Heavy Duty Hose End - Gasket not included

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling size mm	Material
I119B20H-102108	BCHF-102	NS	4	102	108	PLATED STEEL
I119B20H-152159	BCHF-152	LS	6	152	159	PLATED STEEL
I119B20H-203194	BCHF-203	LS	8	203	194	PLATED STEEL

ISJM9B




Type B Female Rubber Gasket

Code	A P N	Stock Ref	Coupling size mm	Material
ISJM9B-050	BCO-051	LS	50	SBR
ISJM9B-076	BCO-076	LS	76	SBR
ISJM9B-089	BCO-090	NS	89	SBR
ISJM9B-108	BCO-102	LS	108	SBR
ISJM9B-133	BCO-127	NS	133	SBR
ISJM9B-159	BCO-152	LS	159	SBR
ISJM9B-194	BCO-203	LS	194	SBR

*NBR - available on request

Type B Adaptors - Bauer Compatible


I1ASB507



Type B Male to Male BSPT

Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size mm	Material
I1ASB507-050060		NS	2	BSPT	50	PLATED STEEL
I1ASB507-076090		NS	3	BSPT	76	PLATED STEEL
I1ASB507-108114		NS	4	BSPT	108	PLATED STEEL
I1ASB507-159165		NS	6	BSPT	159	PLATED STEEL
I1ASB507-194219		NS	8	BSPT	194	PLATED STEEL

I1A9B007




Type B Female to Male BSPT - Gasket included

Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size mm	Material
I1A9B007-050060		NS	2	BSPT	50	PLATED STEEL
I1A9B007-076090		NS	3	BSPT	76	PLATED STEEL
I1A9B007-108114		NS	4	BSPT	108	PLATED STEEL
I1A9B007-159165		NS	6	BSPT	159	PLATED STEEL
I1A9B007-194219		NS	8	BSPT	194	PLATED STEEL

WATER cont.

I1ABZ29B




Type B Male to Flange - Closure Lever included

Code	A P N	Stock Ref	Flange size mm	Flange type	Coupling size mm	Material
I1ABZ29B-102108	BCFM-102	NS	100	TABLE D	108	PLATED STEEL
I1ABZ29B-152159	BCFM-152	LS	150	TABLE D	159	PLATED STEEL
I1ABZ29B-203194	BCFM-203	LS	200	TABLE D	194	PLATED STEEL

*Table E - available on request

I1ABZ39B




Type B Female to Flange - Gasket included

Code	A P N	Stock Ref	Flange size mm	Flange type	Coupling size mm	Material
I1ABZ39B-102108	BCFF-102	NS	100	TABLE D	108	PLATED STEEL
I1ABZ39B-152159	BCFF-152	LS	150	TABLE D	159	PLATED STEEL
I1ABZ39B-203194	BCFF-203	LS	200	TABLE D	194	PLATED STEEL

*Table E - available on request

Type B Weld Ons - Bauer Compatible


I0BSB100



Type B Male Weld On (Unplated)

Code	A P N	Stock Ref	Coupling size mm	Material
I0BSB100-089		LS	89	STEEL
I0BSB100-108		NS	108	STEEL
I0BSB100-159		NS	159	STEEL
I0BSB100-194		NS	194	STEEL


I0Y9B



Type B Male Closure Lever (Unplated)

Code	A P N	Stock Ref	Coupling size mm	Material
I0Y9B089		NS	89	STEEL
I0Y9B108		NS	108	STEEL
I0Y9B159		NS	159	STEEL
I0Y9B194		NS	194	STEEL

I0B9B200




Type B Female Weld On - Gasket included (Unplated)

Code	A P N	Stock Ref	Coupling size mm	Material
I0B9B200-089		LS	89	STEEL
I0B9B200-108		NS	108	STEEL
I0B9B200-159		NS	159	STEEL
I0B9B200-194		NS	194	STEEL

WATER cont.

Shouldered


I169R000



Shouldered Hose End

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling size mm	Material
I169R000-051067	VSH-051	NS	2	51	67	STEEL
I169R000-076097	VSH-076	NS	3	76	97	STEEL
I169R000-102122	VSH-102	LS	4	102	122	STEEL
I169R000-152175	VSH-152	LS	6	152	175	STEEL
I169R000-203232	VSH-203	NS	8	203	232	STEEL

I9C9R




Shouldered Coupling - Gasket included

Code	A P N	Stock Ref	Coupling size mm	Material
I9C9R-067		NS	67	STEEL
I9C9R-097		NS	97	STEEL
I9C9R-122		NS	122	STEEL
I9C9R-175		NS	175	STEEL
I9C9R-232		NS	232	STEEL

*For replacement Gaskets refer code 'IA39RG00'

STORZ

I519Z300




Storz Hose End - Suction and Delivery

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Lug distance mm	Material
I519Z300-012025		NS	1/2	12	31	ALUMINIUM
I519Z300-019025		NS	3/4	19	31	ALUMINIUM
I519Z300-025025		NS	1	25	31	ALUMINIUM
I519Z300-032032		NS	1 1/4	32	44	ALUMINIUM
I519Z300-038038		NS	1 1/2	38	51	ALUMINIUM
I519Z300-038052		NS	1 1/2	38	66	ALUMINIUM
I519Z300-038065		NS	1 1/2	38	81	ALUMINIUM
I519Z300-051052		NS	2	51	66	ALUMINIUM
I519Z300-076075		NS	3	76	89	ALUMINIUM
I519Z300-102100		NS	4	102	115	ALUMINIUM
I519Z300-125125		NS	5	125	148	ALUMINIUM
I519Z300-150150		NS	6	150	160	ALUMINIUM

*Size '051052' - DIN 14 321 - Size '125125' - with Handles

I5A9Z206



Storz to Male BSP - Gasket included

Code	A P N	Stock Ref	Thread inch	Thread type	Lug distance mm	Material
I5A9Z206-025027		NS	3/4	BSP	31	ALUMINIUM
I5A9Z206-025034		NS	1	BSP	31	ALUMINIUM
I5A9Z206-032042		NS	1 1/4	BSP	44	ALUMINIUM
I5A9Z206-038042		NS	1 1/4	BSP	51	ALUMINIUM
I5A9Z206-038049		NS	1 1/2	BSP	51	ALUMINIUM
I5A9Z206-038060		NS	2	BSP	51	ALUMINIUM
I5A9Z206-052049		NS	1 1/2	BSP	66	ALUMINIUM
I5A9Z206-052060		NS	2	BSP	66	ALUMINIUM
I5A9Z206-065049		NS	1 1/2	BSP	81	ALUMINIUM
I5A9Z206-065060		NS	2	BSP	81	ALUMINIUM
I5A9Z206-065076		NS	2 1/2	BSP	81	ALUMINIUM
I5A9Z206-075090		NS	3	BSP	89	ALUMINIUM
I5A9Z206-100114		NS	4	BSP	115	ALUMINIUM

*Sizes '065049' & '100114' - Delivery Seal

I5A9Z306



Storz to Female BSP - Gasket included

Code	A P N	Stock Ref	Thread inch	Thread type	Lug distance mm	Material
I5A9Z306-025027		NS	3/4	BSP	31	ALUMINIUM
I5A9Z306-025034		NS	1	BSP	31	ALUMINIUM
I5A9Z306-032042		NS	1 1/4	BSP	44	ALUMINIUM
I5A9Z306-038049		NS	1 1/2	BSP	51	ALUMINIUM
I5A9Z306-038060		NS	2	BSP	51	ALUMINIUM
I5A9Z306-052049		NS	1 1/2	BSP	66	ALUMINIUM
I5A9Z306-052060		NS	2	BSP	66	ALUMINIUM
I5A9Z306-065060		NS	2	BSP	81	ALUMINIUM
I5A9Z306-065076		NS	2 1/2	BSP	81	ALUMINIUM
I5A9Z306-075090		NS	3	BSP	89	ALUMINIUM
I5A9Z306-100114		NS	4	BSP	115	ALUMINIUM
I5A9Z306-125114		NS	4	BSP	148	ALUMINIUM
I5A9Z306-125140		NS	5	BSP	148	ALUMINIUM
I5A9Z306-150165		NS	6	BSP	160	ALUMINIUM

*Size '100114' - Delivery Seal

STORZ cont.

I5A9Z400



Storz Blank Cap with Chain - Gasket included

Code	A P N	Stock Ref	Lug distance mm	Material
I5A9Z400-025		NS	31	ALUMINIUM
I5A9Z400-032		NS	44	ALUMINIUM
I5A9Z400-038		NS	51	ALUMINIUM
I5A9Z400-052		NS	66	ALUMINIUM
I5A9Z400-065		NS	81	ALUMINIUM
I5A9Z400-075		NS	89	ALUMINIUM
I5A9Z400-100		NS	115	ALUMINIUM
I5A9Z400-125		NS	148	ALUMINIUM
I5A9Z400-150		NS	160	ALUMINIUM


*Sizes '065' & '100' - Delivery Seal

STEAM

Ground Joint Seal Coupling & Adaptors

I918B206


Ground Joint Seal - Complete Coupling - Female BSP



Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Thread inch	Thread type	Material
I918B206-013021	GJ013A	NS	1/2	13	1/2	BSP	MALLEABLE IRON
I918B206-019027	GJ019A	NS	3/4	19	3/4	BSP	MALLEABLE IRON
I918B206-025034	GJ025A	NS	1	25	1	BSP	MALLEABLE IRON
I918B206-032042	GJ032A	NS	1 1/4	32	1 1/4	BSP	MALLEABLE IRON
I918B206-038049	GJ038A	NS	1 1/2	38	1 1/2	BSP	MALLEABLE IRON
I918B206-051060	GJ051A	NS	2	51	2	BSP	MALLEABLE IRON
I918B206-063076	GJ063A	NS	2 1/2	63	2 1/2	BSP	MALLEABLE IRON
I918B206-076090	GJ076A	NS	3	76	3	BSP	MALLEABLE IRON
I918B206-102114	GJ102A	NS	4	102	4	BSP	MALLEABLE IRON

I918B228


Ground Joint Seal - Complete Coupling - Female NPT



Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Thread inch	Thread type	Material
I918B228-013021	GJ013	NS	1/2	13	1/2	NPT	MALLEABLE IRON
I918B228-019027	GJ019	NS	3/4	19	3/4	NPT	MALLEABLE IRON
I918B228-025034	GJ025	NS	1	25	1	NPT	MALLEABLE IRON
I918B228-032042	GJ032	NS	1 1/4	32	1 1/4	NPT	MALLEABLE IRON
I918B228-038049	GJ038	NS	1 1/2	38	1 1/2	NPT	MALLEABLE IRON
I918B228-051060	GJ051	NS	2	51	2	NPT	MALLEABLE IRON
I918B228-063076	GJ063	NS	2 1/2	63	2 1/2	NPT	MALLEABLE IRON
I918B228-076090	GJ076	NS	3	76	3	NPT	MALLEABLE IRON
I918B228-102114	GJ102	NS	4	102	4	NPT	MALLEABLE IRON

I918B107


Ground Joint Seal - Male BSP - Hose End



Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Thread inch	Thread type	Material
I118B107-013021	MS013A	NS	1/2	13	1/2	BSPT	PLATED STEEL
I118B107-019027	MS019A	NS	3/4	19	3/4	BSPT	PLATED STEEL
I118B107-025034	MS025A	NS	1	25	1	BSPT	PLATED STEEL
I918B107-032042	MS032A	NS	1 1/4	32	1 1/4	BSPT	MALLEABLE IRON
I918B107-038049	MS038A	NS	1 1/2	38	1 1/2	BSPT	MALLEABLE IRON
I918B107-051060	MS051A	NS	2	51	2	BSPT	MALLEABLE IRON
I918B107-063076	MS063A	NS	2 1/2	63	2 1/2	BSPT	MALLEABLE IRON
I918B107-076090	MS076A	NS	3	76	3	BSPT	MALLEABLE IRON
I918B107-102114	MS102A	NS	4	102	4	BSPT	MALLEABLE IRON

I918B128


Ground Joint Seal - Male NPT - Hose End



Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Thread inch	Thread type	Material
I118B128-013021	MS013	NS	1/2	13	1/2	NPT	PLATED STEEL
I118B128-019027	MS019	NS	3/4	19	3/4	NPT	PLATED STEEL
I118B128-025034	MS025	NS	1	25	1	NPT	PLATED STEEL
I918B128-032042	MS032	NS	1 1/4	32	1 1/4	NPT	MALLEABLE IRON
I918B128-038049	MS038	NS	1 1/2	38	1 1/2	NPT	MALLEABLE IRON
I918B128-051060	MS051	NS	2	51	2	NPT	MALLEABLE IRON
I918B128-063076	MS063	NS	2 1/2	63	2 1/2	NPT	MALLEABLE IRON
I918B128-076090	MS076	NS	3	76	3	NPT	MALLEABLE IRON
I918B128-102114	MS102	NS	4	102	4	NPT	MALLEABLE IRON

STEAM cont.


I918BC00



Ground Joint Seal - Coupling Hose End

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Material
I918BC00-013013	GS013	NS	1/2	13	MALLEABLE IRON
I918BC00-019019	GS019	NS	3/4	19	MALLEABLE IRON
I918BC00-025025	GS025	NS	1	25	MALLEABLE IRON
I918BC00-032032	GS032	NS	1 1/4	32	MALLEABLE IRON
I918BC00-038038	GS038	NS	1 1/2	38	MALLEABLE IRON
I918BC00-051051	GS051	NS	2	51	MALLEABLE IRON
I918BC00-063063	GS063	NS	2 1/2	63	MALLEABLE IRON
I918BC00-076076	GS076	NS	3	76	MALLEABLE IRON
I918BC00-102102	GS102	NS	4	102	MALLEABLE IRON


I9D8B03



Ground Joint Seal - Coupling Swivel Nut

Code	A P N	Stock Ref	Hose end inch	Hose end mm	Thread mm	Thread type	Material
I9D8B03-013	WN013	NS	1/2	13	13	GJ	MALLEABLE IRON
I9D8B03-019	WN019	NS	3/4	19	19	GJ	MALLEABLE IRON
I9D8B03-025	WN025	NS	1	25	25	GJ	MALLEABLE IRON
I9D8B03-032	WN032	NS	1 1/4	32	32	GJ	MALLEABLE IRON
I9D8B03-038	WN038	NS	1 1/2	38	38	GJ	MALLEABLE IRON
I9D8B03-051	WN051	NS	2	51	51	GJ	MALLEABLE IRON
I9D8B03-063	WN063	NS	2 1/2	63	63	GJ	MALLEABLE IRON
I9D8B03-076	WN076	NS	3	76	76	GJ	MALLEABLE IRON
I9D8B03-102	WN102	NS	4	102	102	GJ	MALLEABLE IRON


I9A8BA8B



Male Ground Joint thread to Male Ground Joint

Code	A P N	Stock Ref	Thread inch	Thread type	Thread inch	Thread type	Material
I9A8BA8B-013021	GJN013	NS	1/2	GJ	1/2	GJ	MALLEABLE IRON
I9A8BA8B-019027	GJN019	NS	3/4	GJ	3/4	GJ	MALLEABLE IRON
I9A8BA8B-025034	GJN025	NS	1	GJ	1	GJ	MALLEABLE IRON
I9A8BA8B-032042	GJN032	NS	1 1/4	GJ	1 1/4	GJ	MALLEABLE IRON
I9A8BA8B-038049	GJN038	NS	1 1/2	GJ	1 1/2	GJ	MALLEABLE IRON
I9A8BA8B-051060	GJN051	NS	2	GJ	2	GJ	MALLEABLE IRON
I9A8BA8B-063076	GJN063	NS	2 1/2	GJ	2 1/2	GJ	MALLEABLE IRON
I9A8BA8B-076076	GJN076	NS	3	GJ	3	GJ	MALLEABLE IRON

I9A8B507




Male Ground Joint Thread to Male BSP

Code	A P N	Stock Ref	Thread inch	Thread type	Thread inch	Thread type	Material
I9A8B507-013021	GM013A	NS	1/2	GJ	1/2	BSPT	MALLEABLE IRON
I9A8B507-019027	GM019A	NS	3/4	GJ	3/4	BSPT	MALLEABLE IRON
I9A8B507-025034	GM025A	NS	1	GJ	1	BSPT	MALLEABLE IRON
I9A8B507-032042	GM032A	NS	1 1/4	GJ	1 1/4	BSPT	MALLEABLE IRON
I9A8B507-038049	GM038A	NS	1 1/2	GJ	1 1/2	BSPT	MALLEABLE IRON
I9A8B507-051060	GM051A	NS	2	GJ	2	BSPT	MALLEABLE IRON
I9A8B507-063076	GM032A	NS	2 1/2	GJ	2 1/2	BSPT	MALLEABLE IRON
I9A8B507-076090	GM076A	NS	3	GJ	3	BSPT	MALLEABLE IRON

STEAM cont.


I9A8B528



Male Ground Joint Thread to Male NPT

Code	A P N	Stock Ref	Thread inch	Thread type	Thread inch	Thread type	Material
I9A8B528-013021	GM013	NS	1/2	GJ	1/2	NPT	MALLEABLE IRON
I9A8B528-019027	GM019	NS	3/4	GJ	3/4	NPT	MALLEABLE IRON
I9A8B528-025034	GM025	NS	1	GJ	1	NPT	MALLEABLE IRON
I9A8B528-032042	GM032	NS	1 1/4	GJ	1 1/4	NPT	MALLEABLE IRON
I9A8B528-038049	GM038	NS	1 1/2	GJ	1 1/2	NPT	MALLEABLE IRON
I9A8B528-051060	GM051	NS	2	GJ	2	NPT	MALLEABLE IRON
I9A8B528-063076	GM032	NS	2 1/2	GJ	2 1/2	NPT	MALLEABLE IRON
I9A8B528-076090	GM076	NS	3	GJ	3	NPT	MALLEABLE IRON


I9A8B607



Male Ground Joint Thread to Female BSP

Code	A P N	Stock Ref	Thread inch	Thread type	Thread inch	Thread type	Material
I9A8B607-013021	GM013A	NS	1/2	GJ	1/2	BSP	MALLEABLE IRON
I9A8B607-019027	GM019A	NS	3/4	GJ	3/4	BSP	MALLEABLE IRON
I9A8B607-025034	GM025A	NS	1	GJ	1	BSP	MALLEABLE IRON
I9A8B607-032042	GM032A	NS	1 1/4	GJ	1 1/4	BSP	MALLEABLE IRON
I9A8B607-038049	GM038A	NS	1 1/2	GJ	1 1/2	BSP	MALLEABLE IRON
I9A8B607-051060	GM051A	NS	2	GJ	2	BSP	MALLEABLE IRON
I9A8B607-063076	GM032A	NS	2 1/2	GJ	2 1/2	BSP	MALLEABLE IRON
I9A8B607-076090	GM076A	NS	3	GJ	3	BSP	MALLEABLE IRON

I9A8B628




Male Ground Joint Thread to Female NPT

Code	A P N	Stock Ref	Thread inch	Thread type	Thread inch	Thread type	Material
I9A8B628-013021	GM013	NS	1/2	GJ	1/2	NPT	MALLEABLE IRON
I9A8B628-019027	GM019	NS	3/4	GJ	3/4	NPT	MALLEABLE IRON
I9A8B628-025034	GM025	NS	1	GJ	1	NPT	MALLEABLE IRON
I9A8B628-032042	GM032	NS	1 1/4	GJ	1 1/4	NPT	MALLEABLE IRON
I9A8B628-038049	GM038	NS	1 1/2	GJ	1 1/2	NPT	MALLEABLE IRON
I9A8B628-051060	GM051	NS	2	GJ	2	NPT	MALLEABLE IRON
I9A8B628-063076	GM032	NS	2 1/2	GJ	2 1/2	NPT	MALLEABLE IRON
I9A8B628-076090	GM076	NS	3	GJ	3	NPT	MALLEABLE IRON

STEAM cont.

Ground Joint Clamp


I9LG2F



Ground Joint Clamp - 2 Bolt - 2 Claw type

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Hose OD min mm	Hose OD max mm	Material
I9LG2F-013026	HPC024027	NS	1/2	13	24	27	MALLEABLE IRON
I9LG2F-013030	HPC027030	NS	1/2	13	27	30	MALLEABLE IRON
I9LG2F-019033	HPC030033	NS	3/4	19	30	33	MALLEABLE IRON
I9LG2F-019043	HPC038043	NS	3/4	19	38	43	MALLEABLE IRON

I9LG4F




Ground Joint Clamp - 4 Bolt - 2 Claw type

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Hose OD min mm	Hose OD max mm	Material
I9LG4F-025039	HPC036039	NS	1	25	36	39	MALLEABLE IRON
I9LG4F-025041	HPC039044	NS	1	25	39	44	MALLEABLE IRON
I9LG4F-025054	HPC049054	NS	1	25	49	54	MALLEABLE IRON
I9LG4F-032053	HPC045053	NS	1 1/4	32	45	53	MALLEABLE IRON
I9LG4F-032060	HPC054060	NS	1 1/4	32	54	60	MALLEABLE IRON
I9LG4F-038065	HPC060065	NS	1 1/2	38	60	65	MALLEABLE IRON
I9LG4F-051067	HPC063071	NS	2	51	63	70	MALLEABLE IRON
I9LG4F-063100	HPC089100	NS	2 1/2	63	89	100	MALLEABLE IRON
I9LG4F-076112	HPC103113	NS	3	76	103	112	MALLEABLE IRON

*Size '025039' - 4 Claw

I9LG6F




Ground Joint Clamp - 6 Bolt - 3 Claw type

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Hose OD min mm	Hose OD max mm	Material
I9LG6F-102123	HPC118127	NS	4	102	118	127	MALLEABLE IRON
I9LG6F-102142	HPC133142	NS	4	102	133	142	MALLEABLE IRON

Alfacrimp Hydraulic Fittings

C124




Complete One Piece Fittings

*CONSULT ALFAGOMMA ALFACRIMP CATALOGUE

CAMLOCK CAM & GROOVE


I5A9C606



Type A - Male to Female BSP - Aluminium (MIL C - 27.487)

Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
I5A9C606-019027	AA019	LS	3/4	BSP	3/4	19	ALUMINIUM
I5A9C606-025034	AA025	LS	1	BSP	1	25	ALUMINIUM
I5A9C606-032042	AA032	LS	1 1/4	BSP	1 1/4	32	ALUMINIUM
I5A9C606-038049	AA040	LS	1 1/2	BSP	1 1/2	38	ALUMINIUM
I5A9C606-051060	AA050	LS	2	BSP	2	51	ALUMINIUM
I5A9C606-063076	AA065	LS	2 1/2	BSP	2 1/2	63	ALUMINIUM
I5A9C606-076090	AA080	LS	3	BSP	3	76	ALUMINIUM
I5A9C606-102114	AA100	LS	4	BSP	4	102	ALUMINIUM
I5A9C606-127140	AA125	LS	5	BSP	5	127	ALUMINIUM
I5A9C606-152165	AA150	LS	6	BSP	6	152	ALUMINIUM


I3A9C606



Type A - Male to Female BSP - Stainless Steel (MIL C - 27.487)

Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
I3A9C606-013021	SA013	LS	1/2	BSP	1/2	13	STAINLESS 316
I3A9C606-019027	SA019	LS	3/4	BSP	3/4	19	STAINLESS 316
I3A9C606-025034	SA025	LS	1	BSP	1	25	STAINLESS 316
I3A9C606-032042	SA032	LS	1 1/4	BSP	1 1/4	32	STAINLESS 316
I3A9C606-038049	SA040	LS	1 1/2	BSP	1 1/2	38	STAINLESS 316
I3A9C606-051060	SA050	LS	2	BSP	2	51	STAINLESS 316
I3A9C606-063076	SA065	LS	2 1/2	BSP	2 1/2	63	STAINLESS 316
I3A9C606-076090	SA080	LS	3	BSP	3	76	STAINLESS 316
I3A9C606-102114	SA100	LS	4	BSP	4	102	STAINLESS 316
I3A9C606-152165	SA150	LS	6	BSP	6	152	STAINLESS 316


I8A9C606



Type A - Male to Female BSP - Brass (MIL C - 27.487)

Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
I8A9C606-019027	BA019	LS	3/4	BSP	3/4	19	BRASS
I8A9C606-025034	BA025	LS	1	BSP	1	25	BRASS
I8A9C606-032042	BA032	LS	1 1/4	BSP	1 1/4	32	BRASS
I8A9C606-038049	BA040	LS	1 1/2	BSP	1 1/2	38	BRASS
I8A9C606-051060	BA050	LS	2	BSP	2	51	BRASS
I8A9C606-063076	BA065	LS	2 1/2	BSP	2 1/2	63	BRASS
I8A9C606-076090	BA080	LS	3	BSP	3	76	BRASS
I8A9C606-102114	BA100	LS	4	BSP	4	102	BRASS
I8A9C606-152165	BA150	LS	6	BSP	6	152	BRASS

IPA9C606




Type A - Male to Female BSP - Polypropylene

Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
IPA9C606-019027	PA019	LS	3/4	BSP	3/4	19	POLYPROPYLENE
IPA9C606-025034	PA025	LS	1	BSP	1	25	POLYPROPYLENE
IPA9C606-032042	PA032	LS	1 1/4	BSP	1 1/4	32	POLYPROPYLENE
IPA9C606-038049	PA040	LS	1 1/2	BSP	1 1/2	38	POLYPROPYLENE
IPA9C606-051060	PA050	LS	2	BSP	2	51	POLYPROPYLENE
IPA9C606-076090	PA080	LS	3	BSP	3	76	POLYPROPYLENE

CAMLOCK CAM & GROOVE cont.


I5A9C007



Type B - Female to Male BSPT - Aluminium (MIL C - 27.487)

Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
I5A9C007-019027	AB019	LS	3/4	BSPT	3/4	19	ALUMINIUM
I5A9C007-025034	AB025	LS	1	BSPT	1	25	ALUMINIUM
I5A9C007-032042	AB032	LS	1 1/4	BSPT	1 1/4	32	ALUMINIUM
I5A9C007-038049	AB040	LS	1 1/2	BSPT	1 1/2	38	ALUMINIUM
I5A9C007-051060	AB050	LS	2	BSPT	2	51	ALUMINIUM
I5A9C007-063076	AB065	LS	2 1/2	BSPT	2 1/2	63	ALUMINIUM
I5A9C007-076090	AB080	LS	3	BSPT	3	76	ALUMINIUM
I5A9C007-102114	AB100	LS	4	BSPT	4	102	ALUMINIUM
I5A9C007-127140	AB125	LS	5	BSPT	5	127	ALUMINIUM
I5A9C007-152165	AB150	LS	6	BSPT	6	152	ALUMINIUM


I3A9C007



Type B - Female to Male BSPT - Stainless Steel (MIL C - 27.487)

Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
I3A9C007-013021	SB013	NS	1/2	BSPT	1/2	13	STAINLESS 316
I3A9C007-019027	SB019	LS	3/4	BSPT	3/4	19	STAINLESS 316
I3A9C007-025034	SB025	LS	1	BSPT	1	25	STAINLESS 316
I3A9C007-032042	SB032	LS	1 1/4	BSPT	1 1/4	32	STAINLESS 316
I3A9C007-038049	SB040	LS	1 1/2	BSPT	1 1/2	38	STAINLESS 316
I3A9C007-051060	SB050	LS	2	BSPT	2	51	STAINLESS 316
I3A9C007-063076	SB065	NS	2 1/2	BSPT	2 1/2	63	STAINLESS 316
I3A9C007-076090	SB080	LS	3	BSPT	3	76	STAINLESS 316
I3A9C007-102114	SB100	LS	4	BSPT	4	102	STAINLESS 316
I3A9C007-152165	SB150	NS	6	BSPT	6	152	STAINLESS 316


I8A9C007



Type B - Female to Male BSPT - Brass (MIL C - 27.487)

Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
I8A9C007-019027	BB019	NS	3/4	BSPT	3/4	19	BRASS
I8A9C007-025034	BB025	LS	1	BSPT	1	25	BRASS
I8A9C007-032042	BB032	LS	1 1/4	BSPT	1 1/4	32	BRASS
I8A9C007-038049	BB040	LS	1 1/2	BSPT	1 1/2	38	BRASS
I8A9C007-051060	BB050	LS	2	BSPT	2	51	BRASS
I8A9C007-063076	BB065	LS	2 1/2	BSPT	2 1/2	63	BRASS
I8A9C007-076090	BB080	LS	3	BSPT	3	76	BRASS
I8A9C007-102114	BB100	LS	4	BSPT	4	102	BRASS
I8A9C007-152165	BB150	LS	6	BSPT	6	152	BRASS

IPA9C007




Type B - Female to Male BSPT - Polypropylene

Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
IPA9C007-019027	PB019	LS	3/4	BSPT	3/4	19	POLYPROPYLENE
IPA9C007-025034	PB025	LS	1	BSPT	1	25	POLYPROPYLENE
IPA9C007-032042	PB032	NS	1 1/4	BSPT	1 1/4	32	POLYPROPYLENE
IPA9C007-038049	PB040	LS	1 1/2	BSPT	1 1/2	38	POLYPROPYLENE
IPA9C007-051060	PB050	LS	2	BSPT	2	51	POLYPROPYLENE
IPA9C007-076090	PB080	LS	3	BSPT	3	76	POLYPROPYLENE

CAMLOCK CAM & GROOVE cont.

I519C200


Type C - Female to Hose End - Aluminium (MIL C - 27.487)



Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling size inch	Coupling size mm	Material
I519C200-019019	AC019	LS	3/4	19	3/4	19	ALUMINIUM
I519C200-025025	AC025	LS	1	25	1	25	ALUMINIUM
I519C200-032032	AC032	LS	1 1/4	32	1 1/4	32	ALUMINIUM
I519C200-038038	AC040	LS	1 1/2	38	1 1/2	38	ALUMINIUM
I519C200-051051	AC050	LS	2	51	2	51	ALUMINIUM
I519C200-063063	AC065	LS	2 1/2	63	2 1/2	63	ALUMINIUM
I519C200-076076	AC080	LS	3	76	3	76	ALUMINIUM
I519C200-102102	AC100	LS	4	102	4	102	ALUMINIUM
I519C200-127127	AC125	LS	5	127	5	127	ALUMINIUM
I519C200-152152	AC150	LS	6	152	6	152	ALUMINIUM

I319C200


Type C - Female to Hose End - Stainless Steel (MIL C - 27.487)



Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling size inch	Coupling size mm	Material
I319C200-013013	SC013	NS	1/2	13	1/2	13	STAINLESS 316
I319C200-019019	SC019	LS	3/4	19	3/4	19	STAINLESS 316
I319C200-025025	SC025	LS	1	25	1	25	STAINLESS 316
I319C200-032032	SC032	LS	1 1/4	32	1 1/4	32	STAINLESS 316
I319C200-038038	SC040	LS	1 1/2	38	1 1/2	38	STAINLESS 316
I319C200-051051	SC050	LS	2	51	2	51	STAINLESS 316
I319C200-063063	SC065	LS	2 1/2	63	2 1/2	63	STAINLESS 316
I319C200-076076	SC080	LS	3	76	3	76	STAINLESS 316
I319C200-102102	SC100	LS	4	102	4	102	STAINLESS 316
I319C200-152152	SC150	LS	6	152	6	152	STAINLESS 316

I819C200


Type C - Female to Hose End - Brass (MIL C - 27.487)



Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling size inch	Coupling size mm	Material
I819C200-019019	BC019	LS	3/4	19	3/4	19	BRASS
I819C200-025025	BC025	LS	1	25	1	25	BRASS
I819C200-032032	BC032	LS	1 1/4	32	1 1/4	32	BRASS
I819C200-038038	BC040	LS	1 1/2	38	1 1/2	38	BRASS
I819C200-051051	BC050	LS	2	51	2	51	BRASS
I819C200-063063	BC065	LS	2 1/2	63	2 1/2	63	BRASS
I819C200-076076	BC080	LS	3	76	3	76	BRASS
I819C200-102102	BC100	LS	4	102	4	102	BRASS
I819C200-152152	BC150	LS	6	152	6	152	BRASS

IP19C200

Type C - Female to Hose End - Polypropylene




Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling size inch	Coupling size mm	Material
IP19C200-019019	PC019	LS	3/4	19	3/4	19	POLYPROPYLENE
IP19C200-025025	PC025	LS	1	25	1	25	POLYPROPYLENE
IP19C200-032032	PC032	LS	1 1/4	32	1 1/4	32	POLYPROPYLENE
IP19C200-038038	PC040	LS	1 1/2	38	1 1/2	38	POLYPROPYLENE
IP19C200-051051	PC050	LS	2	51	2	51	POLYPROPYLENE
IP19C200-076076	PC080	LS	3	76	3	76	POLYPROPYLENE

CAMLOCK CAM & GROOVE cont.

I5A9C806


Type D - Female to Female BSP - Aluminium (MIL C - 27.487)



Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
I5A9C806-019027	AD019	LS	3/4	BSP	3/4	19	ALUMINIUM
I5A9C806-025034	AD025	LS	1	BSP	1	25	ALUMINIUM
I5A9C806-032042	AD032	LS	1 1/4	BSP	1 1/4	32	ALUMINIUM
I5A9C806-038049	AD040	LS	1 1/2	BSP	1 1/2	38	ALUMINIUM
I5A9C806-051060	AD050	LS	2	BSP	2	51	ALUMINIUM
I5A9C806-063076	AD065	LS	2 1/2	BSP	2 1/2	63	ALUMINIUM
I5A9C806-076090	AD080	LS	3	BSP	3	76	ALUMINIUM
I5A9C806-102114	AD100	LS	4	BSP	4	102	ALUMINIUM
I5A9C806-127140	AD125	NS	5	BSP	5	127	ALUMINIUM
I5A9C806-152165	AD150	LS	6	BSP	6	152	ALUMINIUM

I3A9C806


Type D - Female to Female BSP - Stainless Steel (MIL C - 27.487)



Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
I3A9C806-013021	SD013	LS	1/2	BSP	1/2	13	STAINLESS 316
I3A9C806-019027	SD019	LS	3/4	BSP	3/4	19	STAINLESS 316
I3A9C806-025034	SD025	LS	1	BSP	1	25	STAINLESS 316
I3A9C806-032042	SD032	LS	1 1/4	BSP	1 1/4	32	STAINLESS 316
I3A9C806-038049	SD040	LS	1 1/2	BSP	1 1/2	38	STAINLESS 316
I3A9C806-051060	SD050	LS	2	BSP	2	51	STAINLESS 316
I3A9C806-063076	SD065	LS	2 1/2	BSP	2 1/2	63	STAINLESS 316
I3A9C806-076090	SD080	LS	3	BSP	3	76	STAINLESS 316
I3A9C806-102114	SD100	LS	4	BSP	4	102	STAINLESS 316
I3A9C806-152165	SD150	NS	6	BSP	6	152	STAINLESS 316

I8A9C806


Type D - Female to Female BSP - Brass (MIL C - 27.487)



Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
I8A9C806-019027	BD019	LS	3/4	BSP	3/4	19	BRASS
I8A9C806-025034	BD025	LS	1	BSP	1	25	BRASS
I8A9C806-032042	BD032	LS	1 1/4	BSP	1 1/4	32	BRASS
I8A9C806-038049	BD040	LS	1 1/2	BSP	1 1/2	38	BRASS
I8A9C806-051060	BD050	LS	2	BSP	2	51	BRASS
I8A9C806-063076	BD065	LS	2 1/2	BSP	2 1/2	63	BRASS
I8A9C806-076090	BD080	LS	3	BSP	3	76	BRASS
I8A9C806-102114	BD100	LS	4	BSP	4	102	BRASS
I8A9C806-152165	BD150	NS	6	BSP	6	152	BRASS

IPA9C806


Type D - Female to Female BSP - Polypropylene



Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
IPA9C806-019027	PD019	LS	3/4	BSP	3/4	19	POLYPROPYLENE
IPA9C806-025034	PD025	LS	1	BSP	1	25	POLYPROPYLENE
IPA9C806-032042	PD032	LS	1 1/4	BSP	1 1/4	32	POLYPROPYLENE
IPA9C806-038049	PD040	LS	1 1/2	BSP	1 1/2	38	POLYPROPYLENE
IPA9C806-051060	PD050	LS	2	BSP	2	51	POLYPROPYLENE
IPA9C806-076090	PD080	LS	3	BSP	3	76	POLYPROPYLENE

CAMLOCK CAM & GROOVE cont.


I519C100



Type E - Male to Hose End - Aluminium (MIL C - 27.487)

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling size inch	Coupling size mm	Material
I519C100-019019	AE019	LS	3/4	19	3/4	19	ALUMINIUM
I519C100-025025	AE025	LS	1	25	1	25	ALUMINIUM
I519C100-032032	AE032	LS	1 1/4	32	1 1/4	32	ALUMINIUM
I519C100-038038	AE040	LS	1 1/2	38	1 1/2	38	ALUMINIUM
I519C100-051051	AE050	LS	2	51	2	51	ALUMINIUM
I519C100-063063	AE065	LS	2 1/2	63	2 1/2	63	ALUMINIUM
I519C100-076076	AE080	LS	3	76	3	76	ALUMINIUM
I519C100-102102	AE100	LS	4	102	4	102	ALUMINIUM
I519C100-127127	AE125	LS	5	127	5	127	ALUMINIUM
I519C100-152152	AE150	LS	6	152	6	152	ALUMINIUM


I319C100



Type E - Male to Hose End - Stainless Steel (MIL C - 27.487)

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling size inch	Coupling size mm	Material
I319C100-013013	SE013	NS	1/2	13	1/2	13	STAINLESS 316
I319C100-019019	SE019	LS	3/4	19	3/4	19	STAINLESS 316
I319C100-025025	SE025	LS	1	25	1	25	STAINLESS 316
I319C100-032032	SE032	LS	1 1/4	32	1 1/4	32	STAINLESS 316
I319C100-038038	SE040	LS	1 1/2	38	1 1/2	38	STAINLESS 316
I319C100-051051	SE050	LS	2	51	2	51	STAINLESS 316
I319C100-063063	SE065	LS	2 1/2	63	2 1/2	63	STAINLESS 316
I319C100-076076	SE080	LS	3	76	3	76	STAINLESS 316
I319C100-102102	SE100	LS	4	102	4	102	STAINLESS 316
I319C100-152152	SE150	LS	6	152	6	152	STAINLESS 316


I819C100



Type E - Male to Hose End - Brass (MIL C - 27.487)

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling size inch	Coupling size mm	Material
I819C100-019019	BE019	LS	3/4	19	3/4	19	BRASS
I819C100-025025	BE025	LS	1	25	1	25	BRASS
I819C100-032032	BE032	LS	1 1/4	32	1 1/4	32	BRASS
I819C100-038038	BE040	LS	1 1/2	38	1 1/2	38	BRASS
I819C100-051051	BE050	LS	2	51	2	51	BRASS
I819C100-063063	BE065	LS	2 1/2	63	2 1/2	63	BRASS
I819C100-076076	BE080	LS	3	76	3	76	BRASS
I819C100-102102	BE100	LS	4	102	4	102	BRASS
I819C100-152152	BE150	LS	6	152	6	152	BRASS

IP19C100




Type E - Male to Hose End - Polypropylene

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling size inch	Coupling size mm	Material
IP19C100-019019	PE019	LS	3/4	19	3/4	19	POLYPROPYLENE
IP19C100-025025	PE025	LS	1	25	1	25	POLYPROPYLENE
IP19C100-032032	PE032	LS	1 1/4	32	1 1/4	32	POLYPROPYLENE
IP19C100-038038	PE040	LS	1 1/2	38	1 1/2	38	POLYPROPYLENE
IP19C100-051051	PE050	LS	2	51	2	51	POLYPROPYLENE
IP19C100-076076	PE080	LS	3	76	3	76	POLYPROPYLENE

CAMLOCK CAM & GROOVE cont.

I5A9C507


Type F - Male to Male BSPT - Aluminium (MIL C - 27.487)



Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
I5A9C507-019027	AF019	LS	3/4	BSPT	3/4	19	ALUMINIUM
I5A9C507-025034	AF025	LS	1	BSPT	1	25	ALUMINIUM
I5A9C507-032042	AF032	LS	1 1/4	BSPT	1 1/4	32	ALUMINIUM
I5A9C507-038049	AF040	LS	1 1/2	BSPT	1 1/2	38	ALUMINIUM
I5A9C507-051060	AF050	LS	2	BSPT	2	51	ALUMINIUM
I5A9C507-063076	AF065	LS	2 1/2	BSPT	2 1/2	63	ALUMINIUM
I5A9C507-076090	AF080	LS	3	BSPT	3	76	ALUMINIUM
I5A9C507-102114	AF100	LS	4	BSPT	4	102	ALUMINIUM
I5A9C507-127140	AF125	LS	5	BSPT	5	127	ALUMINIUM
I5A9C507-152165	AF150	LS	6	BSPT	6	152	ALUMINIUM

I3A9C507


Type F - Male to Male BSPT - Stainless Steel (MIL C - 27.487)



Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
I3A9C507-013021	SF013	NS	1/2	BSPT	1/2	13	STAINLESS 316
I3A9C507-019027	SF019	NS	3/4	BSPT	3/4	19	STAINLESS 316
I3A9C507-025034	SF025	LS	1	BSPT	1	25	STAINLESS 316
I3A9C507-032042	SF032	LS	1 1/4	BSPT	1 1/4	32	STAINLESS 316
I3A9C507-038049	SF040	LS	1 1/2	BSPT	1 1/2	38	STAINLESS 316
I3A9C507-051060	SF050	LS	2	BSPT	2	51	STAINLESS 316
I3A9C507-063076	SF065	LS	2 1/2	BSPT	2 1/2	63	STAINLESS 316
I3A9C507-076090	SF080	LS	3	BSPT	3	76	STAINLESS 316
I3A9C507-102114	SF100	LS	4	BSPT	4	102	STAINLESS 316
I3A9C507-152165	SF150	NS	6	BSPT	6	152	STAINLESS 316

I8A9C507


Type F - Male to Male BSPT - Brass (MIL C - 27.487)



Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
I8A9C507-019027	BF019	LS	3/4	BSPT	3/4	19	BRASS
I8A9C507-025034	BF025	LS	1	BSPT	1	25	BRASS
I8A9C507-032042	BF032	LS	1 1/4	BSPT	1 1/4	32	BRASS
I8A9C507-038049	BF040	LS	1 1/2	BSPT	1 1/2	38	BRASS
I8A9C507-051060	BF050	LS	2	BSPT	2	51	BRASS
I8A9C507-063076	BF065	LS	2 1/2	BSPT	2 1/2	63	BRASS
I8A9C507-076090	BF080	LS	3	BSPT	3	76	BRASS
I8A9C507-102114	BF100	LS	4	BSPT	4	102	BRASS
I8A9C507-152165	BF150	LS	6	BSPT	6	152	BRASS

IPA9C507

Type F - Male to Male BSPT - Polypropylene




Code	A P N	Stock Ref	Thread inch	Thread type	Coupling size inch	Coupling size mm	Material
IPA9C507-019027	PF019	LS	3/4	BSPT	3/4	19	POLYPROPYLENE
IPA9C507-025034	PF025	LS	1	BSPT	1	25	POLYPROPYLENE
IPA9C507-032042	PF032	LS	1 1/4	BSPT	1 1/4	32	POLYPROPYLENE
IPA9C507-038049	PF040	LS	1 1/2	BSPT	1 1/2	38	POLYPROPYLENE
IPA9C507-051060	PF050	LS	2	BSPT	2	51	POLYPROPYLENE
IPA9C507-076090	PF080	LS	3	BSPT	3	76	POLYPROPYLENE

CAMLOCK CAM & GROOVE cont.

I5A9C900


Type DC - Female Dust Cap - Aluminium (MIL C - 27.487)



Code	A P N	Stock Ref	Coupling size inch	Coupling size mm	Material
I5A9C900-019	ADC019	LS	3/4	19	ALUMINIUM
I5A9C900-025	ADC025	LS	1	25	ALUMINIUM
I5A9C900-032	ADC032	LS	1 1/4	32	ALUMINIUM
I5A9C900-038	ADC040	LS	1 1/2	38	ALUMINIUM
I5A9C900-051	ADC050	LS	2	51	ALUMINIUM
I5A9C900-063	ADC065	LS	2 1/2	63	ALUMINIUM
I5A9C900-076	ADC080	LS	3	76	ALUMINIUM
I5A9C900-102	ADC100	LS	4	102	ALUMINIUM
I5A9C900-127	ADC125	NS	5	127	ALUMINIUM
I5A9C900-152	ADC150	LS	6	152	ALUMINIUM

I3A9C900


Type DC - Female Dust Cap - Stainless Steel (MIL C - 27.487)



Code	A P N	Stock Ref	Coupling size inch	Coupling size mm	Material
I3A9C900-013	SDC013	NS	1/2	13	STAINLESS 316
I3A9C900-019	SDC019	LS	3/4	19	STAINLESS 316
I3A9C900-025	SDC025	LS	1	25	STAINLESS 316
I3A9C900-032	SDC032	LS	1 1/4	32	STAINLESS 316
I3A9C900-038	SDC040	LS	1 1/2	38	STAINLESS 316
I3A9C900-051	SDC050	LS	2	51	STAINLESS 316
I3A9C900-063	SDC065	LS	2 1/2	63	STAINLESS 316
I3A9C900-076	SDC080	LS	3	76	STAINLESS 316
I3A9C900-102	SDC100	LS	4	102	STAINLESS 316
I3A9C900-152	SDC150	LS	6	152	STAINLESS 316

I8A9C900


Type DC - Female Dust Cap - Brass (MIL C - 27.487)



Code	A P N	Stock Ref	Coupling size inch	Coupling size mm	Material
I8A9C900-019	BDC019	LS	3/4	19	BRASS
I8A9C900-025	BDC025	LS	1	25	BRASS
I8A9C900-032	BDC032	LS	1 1/4	32	BRASS
I8A9C900-038	BDC040	LS	1 1/2	38	BRASS
I8A9C900-051	BDC050	LS	2	51	BRASS
I8A9C900-063	BDC065	LS	2 1/2	63	BRASS
I8A9C900-076	BDC080	LS	3	76	BRASS
I8A9C900-102	BDC100	LS	4	102	BRASS
I8A9C900-152	BDC150	LS	6	152	BRASS

IPA9C900


Type DC - Female Dust Cap - Polypropylene



Code	A P N	Stock Ref	Coupling size inch	Coupling size mm	Material
IPA9C900-019	PDC019	LS	3/4	19	POLYPROPYLENE
IPA9C900-025	PDC025	LS	1	25	POLYPROPYLENE
IPA9C900-032	PDC032	NS	1 1/4	32	POLYPROPYLENE
IPA9C900-038	PDC040	LS	1 1/2	38	POLYPROPYLENE
IPA9C900-051	PDC050	LS	2	51	POLYPROPYLENE
IPA9C900-076	PDC080	LS	3	76	POLYPROPYLENE

CAMLOCK CAM & GROOVE cont.


I5A9C700



Type DP - Male Dust Plug - Aluminium (MIL C - 27.487)

Code	A P N	Stock Ref	Coupling size inch	Coupling size mm	Material
I5A9C700-019	ADP019	LS	3/4	19	ALUMINIUM
I5A9C700-025	ADP025	LS	1	25	ALUMINIUM
I5A9C700-032	ADP032	LS	1 1/4	32	ALUMINIUM
I5A9C700-038	ADP040	LS	1 1/2	38	ALUMINIUM
I5A9C700-051	ADP050	LS	2	51	ALUMINIUM
I5A9C700-063	ADP065	LS	2 1/2	63	ALUMINIUM
I5A9C700-076	ADP080	LS	3	76	ALUMINIUM
I5A9C700-102	ADP100	LS	4	102	ALUMINIUM
I5A9C700-127	ADP125	NS	5	127	ALUMINIUM
I5A9C700-152	ADP150	LS	6	152	ALUMINIUM


I3A9C700



Type DP - Male Dust Plug - Stainless Steel (MIL C - 27.487)

Code	A P N	Stock Ref	Coupling size inch	Coupling size mm	Material
I3A9C700-013	SDP013	NS	1/2	13	STAINLESS 316
I3A9C700-019	SDP019	NS	3/4	19	STAINLESS 316
I3A9C700-025	SDP025	LS	1	25	STAINLESS 316
I3A9C700-032	SDP032	LS	1 1/4	32	STAINLESS 316
I3A9C700-038	SDP040	LS	1 1/2	38	STAINLESS 316
I3A9C700-051	SDP050	LS	2	51	STAINLESS 316
I3A9C700-063	SDP065	NS	2 1/2	63	STAINLESS 316
I3A9C700-076	SDP080	LS	3	76	STAINLESS 316
I3A9C700-102	SDP100	LS	4	102	STAINLESS 316
I3A9C700-152	SDP150	NS	6	152	STAINLESS 316


I8A9C700



Type DP - Male Dust Plug - Brass (MIL C - 27.487)

Code	A P N	Stock Ref	Coupling size inch	Coupling size mm	Material
I8A9C700-019	BDP019	LS	3/4	19	BRASS
I8A9C700-025	BDP025	LS	1	25	BRASS
I8A9C700-032	BDP032	LS	1 1/4	32	BRASS
I8A9C700-038	BDP040	LS	1 1/2	38	BRASS
I8A9C700-051	BDP050	LS	2	51	BRASS
I8A9C700-063	BDP065	LS	2 1/2	63	BRASS
I8A9C700-076	BDP080	LS	3	76	BRASS
I8A9C700-102	BDP100	LS	4	102	BRASS
I8A9C700-152	BDP150	NS	6	152	BRASS

IPA9C700




Type DP - Male Dust Plug - Polypropylene

Code	A P N	Stock Ref	Coupling size inch	Coupling size mm	Material
IPA9C700-019	PDP019	LS	3/4	19	POLYPROPYLENE
IPA9C700-025	PDP025	LS	1	25	POLYPROPYLENE
IPA9C700-032	PDP032	LS	1 1/4	32	POLYPROPYLENE
IPA9C700-038	PDP040	LS	1 1/2	38	POLYPROPYLENE
IPA9C700-051	PDP050	LS	2	51	POLYPROPYLENE
IPA9C700-076	PDP080	LS	3	76	POLYPROPYLENE

CAMLOCK CAM & GROOVE cont.

I5A9C6BZ


Type LA - Male to Table D Flange - Aluminium (MIL C - 27.487)



Code	A P N	Stock Ref	Flange size mm	Flange type	Coupling size inch	Coupling size mm	Material
I5A9C6BZ-076080	ALA080	NS	80	Table D	3	76	ALUMINIUM
I5A9C6BZ-102100	ALA100	NS	100	Table D	4	102	ALUMINIUM
I5A9C6BZ-152150	ALA150	NS	150	Table D	6	152	ALUMINIUM

I3A9C6BZ


Type LA - Male to Table D Flange - Stainless Steel (MIL C - 27.487)



Code	A P N	Stock Ref	Flange size mm	Flange type	Coupling size inch	Coupling size mm	Material
I3A9C6BZ-076080	SLA080	NS	80	Table D	3	76	STAINLESS 316
I3A9C6BZ-102100	SLA100	NS	100	Table D	4	102	STAINLESS 316
I3A9C6BZ-152150	SLA150	NS	150	Table D	6	152	STAINLESS 316

I8A9C6BZ


Type LA - Male to Table D Flange - Brass (MIL C - 27.487)



Code	A P N	Stock Ref	Flange size mm	Flange type	Coupling size inch	Coupling size mm	Material
I8A9C6BZ-076080	BLA080	NS	80	Table D	3	76	BRASS
I8A9C6BZ-102100	BLA100	NS	100	Table D	4	102	BRASS
I8A9C6BZ-152150	BLA150	NS	150	Table D	6	152	BRASS

CAMLOCK CAM & GROOVE cont.


I5A9C8BZ



Type LD - Female to Table D Flange - Aluminium (MIL C - 27.487)

Code	A P N	Stock Ref	Flange size mm	Flange type	Coupling size inch	Coupling size mm	Material
I5A9C8BZ-076080	ALD080	NS	80	Table D	3	76	ALUMINIUM
I5A9C8BZ-102100	ALD100	NS	100	Table D	4	102	ALUMINIUM
I5A9C8BZ-152150	ALD150	NS	150	Table D	6	152	ALUMINIUM


I3A9C8BZ



Type LD - Female to Table D Flange - Stainless Steel (MIL C - 27.487)

Code	A P N	Stock Ref	Flange size mm	Flange type	Coupling size inch	Coupling size mm	Material
I3A9C8BZ-076080	SLD080	NS	80	Table D	3	76	STAINLESS 316
I3A9C8BZ-102100	SLD100	NS	100	Table D	4	102	STAINLESS 316
I3A9C8BZ-152150	SLD150	NS	150	Table D	6	152	STAINLESS 316

I8A9C8BZ




Type LD - Female to Table D Flange - Brass (MIL C - 27.487)

Code	A P N	Stock Ref	Flange size mm	Flange type	Coupling size inch	Coupling size mm	Material
I8A9C8BZ-076080	BLD080	NS	80	Table D	3	76	BRASS
I8A9C8BZ-102100	BLD100	NS	100	Table D	4	102	BRASS
I8A9C8BZ-152150	BLD150	NS	150	Table D	6	152	BRASS

CAMLOCK CAM & GROOVE cont.


INJ09C



Gasket - Nitrile

Code	A P N	Stock Ref	Coupling size inch	Coupling size mm	Material
INJ09C-013	CW013	LS	1/2	13	NBR
INJ09C-019	CW019	LS	3/4	19	NBR
INJ09C-025	CW025	LS	1	25	NBR
INJ09C-032	CW032	LS	1 1/4	32	NBR
INJ09C-038	CW040	LS	1 1/2	38	NBR
INJ09C-051	CW050	LS	2	51	NBR
INJ09C-063	CW065	LS	2 1/2	63	NBR
INJ09C-076	CW080	LS	3	76	NBR
INJ09C-102	CW100	LS	4	102	NBR
INJ09C-127	CW125	NS	5	127	NBR
INJ09C-152	CW150	LS	6	152	NBR


IJJ09C



Gasket - Viton

Code	A P N	Stock Ref	Coupling size inch	Coupling size mm	Material
IJJ09C-019	CWV019	NS	3/4	19	VITON
IJJ09C-025	CWV025	LS	1	25	VITON
IJJ09C-032	CWV032	NS	1 1/4	32	VITON
IJJ09C-038	CWV040	LS	1 1/2	38	VITON
IJJ09C-051	CWV050	LS	2	51	VITON
IJJ09C-063	CWV065	LS	2 1/2	63	VITON
IJJ09C-076	CWV080	LS	3	76	VITON
IJJ09C-102	CWV100	LS	4	102	VITON
IJJ09C-152	CWV150	NS	6	152	VITON

I3Y9C00



Handle, Ring & Pin - Stainless

Code	A P N	Stock Ref	Coupling size inch	Coupling size mm	Material
I3Y9C001		NS	1/2 - 3/4	13 - 19	STAINLESS 316
I3Y9C002	HAS1	NS	1	25	STAINLESS 316
I3Y9C003	HAS2	LS	1 1/4 - 2 1/2	32 - 63	STAINLESS 316
I3Y9C004	HAS3	LS	3 - 5	76 - 127	STAINLESS 316
I3Y9C005	HAS4	LS	6	152	STAINLESS 316

I8Y9C00




Handle, Ring & Pin - Brass

Code	A P N	Stock Ref	Coupling size inch	Coupling size mm	Material
I8Y9C001		NS	1/2 - 3/4	13 - 19	BRASS
I8Y9C002	HAB1	NS	1	25	BRASS
I8Y9C003	HAB2	NS	1 1/4 - 2 1/2	32 - 63	BRASS
I8Y9C004	HAB3	NS	3 - 5	76 - 127	BRASS
I8Y9C005	HAB4	NS	6	152	BRASS

COMBINATION NIPPLES & JOINERS


I1607100



Male BSPT - Light Duty

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Thread inch	Thread type	Material
I1607100-013021	CN013	LS	1/2	13	1/2	BSPT	PLATED STEEL
I1607100-019027	CN019	LS	3/4	19	3/4	BSPT	PLATED STEEL
I1607100-025034	CN025	LS	1	25	1	BSPT	PLATED STEEL
I1607100-032042	CN032	LS	1 1/4	32	1 1/4	BSPT	PLATED STEEL
I1607100-038049	CN040	LS	1 1/2	38	1 1/2	BSPT	PLATED STEEL
I1607100-051060	CN051	LS	2	51	2	BSPT	PLATED STEEL
I1607100-063076	CN065	NS	2 1/2	63	2 1/2	BSPT	PLATED STEEL
I1607100-076090	CN076	LS	3	76	3	BSPT	PLATED STEEL
I1607100-102114	CN102	LS	4	102	4	BSPT	PLATED STEEL
I1607100-152165	CN152	LS	6	152	6	BSPT	PLATED STEEL

I1607100



Male BSPT - Brass

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Thread inch	Thread type	Material
I8610710-006009		NS	1/4	6	1/8	BSPT	BRASS
I8610710-006013		NS	1/4	6	1/4	BSPT	BRASS
I8610710-006017		NS	1/4	6	3/8	BSPT	BRASS
I8610710-008013		NS	5/16	8	1/4	BSPT	BRASS
I8610710-008017		NS	5/16	8	3/8	BSPT	BRASS
I8610710-010013		NS	3/8	10	1/4	BSPT	BRASS
I8610710-010017		NS	3/8	10	3/8	BSPT	BRASS
I8610710-010021		NS	3/8	10	1/2	BSPT	BRASS
I8610710-013013		NS	1/2	13	1/4	BSPT	BRASS
I8610710-013017		NS	1/2	13	3/8	BSPT	BRASS
I8610710-013021		NS	1/2	13	1/2	BSPT	BRASS
I8610710-013027		NS	1/2	13	3/4	BSPT	BRASS
I8610710-016021		NS	5/8	16	1/2	BSPT	BRASS
I8610710-016027		NS	5/8	16	3/4	BSPT	BRASS
I8610710-019021		NS	3/4	19	1/2	BSPT	BRASS
I8610710-019027		NS	3/4	19	3/4	BSPT	BRASS
I8610710-019034		NS	3/4	19	1	BSPT	BRASS
I8610710-025027		NS	1	25	3/4	BSPT	BRASS
I8610710-025034		NS	1	25	1	BSPT	BRASS

I1656100




Hose Joiner - Light Duty

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Material
I1656100-010010	HJ010	NS	3/8	10	PLATED STEEL
I1656100-013013	HJ013	LS	1/2	13	PLATED STEEL
I1656100-019019	HJ019	LS	3/4	19	PLATED STEEL
I1656100-025025	HJ025	LS	1	25	PLATED STEEL
I1656100-032032	HJ032	NS	1 1/4	32	PLATED STEEL
I1656100-038038	HJ038	LS	1 1/2	38	PLATED STEEL
I1656100-051051	HJ051	LS	2	51	PLATED STEEL
I1656100-063063	HJ063	NS	2 1/2	63	PLATED STEEL
I1656100-076076	HJ076	LS	3	76	PLATED STEEL
I1656100-102102	HJ102	LS	4	102	PLATED STEEL
I1656100-152152	HJ152	NS	6	152	PLATED STEEL
I1656100-203203	HJ203	NS	8	203	PLATED STEEL

COMBINATION NIPPLES & JOINERS cont.

Combination Nipple Coupling with Pre-Crimped Ferrule - Alfacrimp™


I1707M00



Male BSPT - Alfacrimp™

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Thread inch	Thread type	Material
I1707M00-076090		NS	3	76	3	BSPT	PLATED STEEL
I1707M00-102114		NS	4	102	4	BSPT	PLATED STEEL
I1707M00-127140		NS	5	127	5	BSPT	PLATED STEEL
I1707M00-152165		NS	6	152	6	BSPT	PLATED STEEL
I1707M00-203219		NS	8	203	8	BSPT	PLATED STEEL
I1707M00-254273		NS	10	254	10	BSPT	PLATED STEEL


I1728M00



Male NPT - Alfacrimp™

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Thread inch	Thread type	Material
I1728M00-076090		NS	3	76	3	NPT	PLATED STEEL
I1728M00-102114		NS	4	102	4	NPT	PLATED STEEL
I1728M00-127140		NS	5	127	5	NPT	PLATED STEEL
I1728M00-152165		NS	6	152	6	NPT	PLATED STEEL
I1728M00-203219		NS	8	203	8	NPT	PLATED STEEL
I1728M00-254273		NS	10	254	10	NPT	PLATED STEEL


I17F8M00



Male NPT Extended - Off Shore - Alfacrimp™

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Thread inch	Thread type	Material
I17F8M00-076090		LS	3	76	3	NPT	PLATED STEEL
I17F8M00-102114		LS	4	102	4	NPT	PLATED STEEL
I17F8M00-127140		LS	5	127	5	NPT	PLATED STEEL
I17F8M00-152165		LS	6	152	6	NPT	PLATED STEEL

I37F8M00



Male NPT Extended - Off Shore - Stainless Steel - Alfacrimp™

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Thread inch	Thread type	Material
I37F8M00-076090		LS	3	76	3	NPT	STAINLESS 316
I37F8M00-102114		LS	4	102	4	NPT	STAINLESS 316

FLANGE

I1FBZ000




Table D - Fixed Flange

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Flange Size mm	Flange type	Material
I1FBZ000-038040	FHT038	NS	1 1/2	38	40	TABLE D	PLATED STEEL
I1FBZ000-051050	FHT051	NS	2	51	50	TABLE D	PLATED STEEL
I1FBZ000-063065	FHT063	NS	2 1/2	63	65	TABLE D	PLATED STEEL
I1FBZ000-076080	FHT076	NS	3	76	80	TABLE D	PLATED STEEL
I1FBZ000-102100	FHT102	NS	4	102	100	TABLE D	PLATED STEEL
I1FBZ000-152150	FHT152	NS	5	127	125	TABLE D	PLATED STEEL
I1FBZ000-203200	FHT203	NS	6	152	150	TABLE D	PLATED STEEL

I1FC8000





Table E - Fixed Flange

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Flange Size mm	Flange type	Material
I1FC8000-076080	FHT076-E	NS	3	76	80	TABLE E	PLATED STEEL
I1FC8000-102100	FHT102-E	NS	4	102	100	TABLE E	PLATED STEEL
I1FC8000-152150	FHT152-E	NS	5	127	125	TABLE E	PLATED STEEL
I1FC8000-203200	FHT203-E	NS	6	152	150	TABLE E	PLATED STEEL

I17BE67B




ANSI 150 - Fixed Flange

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Flange Size mm	Flange type	Material
I17BE67B-038038		NS	1 1/2	38	40	ANSI 150	PLATED STEEL
I17BE67B-051051		NS	2	51	50	ANSI 150	PLATED STEEL
I17BE67B-063063		NS	2 1/2	63	65	ANSI 150	PLATED STEEL
I17BE67B-075075		NS	3	76	80	ANSI 150	PLATED STEEL
I17BE67B-100100		NS	4	102	100	ANSI 150	PLATED STEEL
I17BE67B-125125		NS	5	127	125	ANSI 150	PLATED STEEL
I17BE67B-150150		NS	6	152	150	ANSI 150	PLATED STEEL

*For Serrated Ferrules - Consult chapter 'Clamps & Ferrules'

I1BE79A




ANSI 150 - Swivel Flange

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Flange Size mm	Flange type	Material
I1BE79A-038038		NS	1 1/2	38	40	ANSI 150	PLATED STEEL
I1BE79A-051051		NS	2	51	50	ANSI 150	PLATED STEEL
I1BE79A-063063		NS	2 1/2	63	65	ANSI 150	PLATED STEEL
I1BE79A-075075		NS	3	76	80	ANSI 150	PLATED STEEL
I1BE79A-100100		NS	4	102	100	ANSI 150	PLATED STEEL
I1BE79A-125125		NS	5	127	125	ANSI 150	PLATED STEEL
I1BE79A-150150		NS	6	152	150	ANSI 150	PLATED STEEL

*For Serrated Ferrules - Consult chapter 'Clamps & Ferrules'

I3BE79A



ANSI 150 - Swivel Flange - Stainless Steel


Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Flange Size mm	Flange type	Material
I3BE79A-051051		NS	2	51	60	ANSI 150	STAINLESS 316
I3BE79A-063063		NS	2 1/2	63	65	ANSI 150	STAINLESS 316
I3BE79A-075075		NS	3	76	80	ANSI 150	STAINLESS 316
I3BE79A-100100		NS	4	102	100	ANSI 150	STAINLESS 316

*For Serrated Ferrules - Consult chapter 'Clamps & Ferrules'

CONCRETE

Concrete Hose Coupling with Pre-Crimped Ferrule - Alfacrimp™


IV39RL00



Shouldered Style - Hardened Insert - Alfacrimp™

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling Size mm	Material
IV39RL00-051067		LS	2	51	67	HARDENED STEEL
IV39RL00-063097		LS	2 1/2	63	97	HARDENED STEEL
IV39RL00-076097		LS	3	76	97	HARDENED STEEL
IV39RL00-090122		LS	3 1/2	90	122	HARDENED STEEL
IV39RL00-102122		LS	4	102	122	HARDENED STEEL


IV39VL00



Victaulic Style - Hardened Insert - Alfacrimp™

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Coupling Size mm	Material
IV39VL00-051089		LS	2	51	89	HARDENED STEEL
IV39VL00-063089		NS	2 1/2	63	89	HARDENED STEEL
IV39VL00-090127		LS	3 1/2	90	127	HARDENED STEEL
IV39VL00-102127		LS	4	102	127	HARDENED STEEL
IV39VL00-115148		LS	4 1/2	115	148	HARDENED STEEL
IV39VL00-127148		LS	5	127	148	HARDENED STEEL
IV39VL00-152168		NS	6	152	168	HARDENED STEEL


IV307M00



Male BSPT - Hardened Insert - Alfacrimp™

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Thread inch	Thread type	Material
IV307M00-051060		LS	2	51	2	BSPT	HARDENED STEEL
IV307M00-076090		NS	3	76	3	BSPT	HARDENED STEEL


IV306F00



Female BSP - Hardened Insert - Alfacrimp™

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Thread inch	Thread type	Material
IV306F00-051060		LS	2	51	2	BSPP	HARDENED STEEL

I939RC00



Shouldered and Victaulic Coupling - Quick Release - Gasket included

Code	A P N	Stock Ref	Coupling Size mm	Material
I939RC00-067000		NS	67	STEEL
I939RC00-097000		LS	97	STEEL
I939RC00-122000		LS	122	STEEL
I939RC00-148000		LS	148	STEEL
IR39RC00-168000		NS	168	STEEL

IA39RG00




Shouldered and Victaulic Coupling - Gasket

Code	A P N	Stock Ref	Coupling Size mm	Material
IA39RG00-067000		NS	67	NBR
IA39RG00-097000		LS	97	NBR
IA39RG00-122000		LS	122	NBR
IA39RG00-148000		LS	148	NBR
IA39RG00-168000		NS	168	NBR

MUFF COUPLINGS

Muff Coupling System for Alfagomma T-706 AA and T-707 AA Hose

I5MBZ61A



Muff Coupling - Aluminium


Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Hose OD mm	Flange type	Material
I5MBZ61A-076102	MCT706076	LS	3	76	102	TABLE D	ALUMINIUM
I5MBZ61A-102128	MCT706102	LS	4	102	128	TABLE D	ALUMINIUM
I5MBZ61A-127159	MCT706127	NS	5	127	159	TABLE D	ALUMINIUM
I5MBZ61A-152184	MCT706152	LS	6	152	184	TABLE D	ALUMINIUM
I5MBZ61A-203235	MCT706203	LS	8	203	235	TABLE D	ALUMINIUM
I5MBZ61A-254286	MCT706254	LS	10	254	286	TABLE D	ALUMINIUM
I5MBZ61A-300344	MCT706300	LS	12	300	344	TABLE D	ALUMINIUM

*Table E - available on request

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Hose OD mm	Flange type	Material
I5MBZ61A-051069	MCT707051	LS	2	51	69	TABLE D	ALUMINIUM
I5MBZ61A-076098	MCT707076	LS	3	76	98	TABLE D	ALUMINIUM
I5MBZ61A-102124	MCT707102	LS	4	102	124	TABLE D	ALUMINIUM
I5MBZ61A-152178	MCT707152	NS	6	152	178	TABLE D	ALUMINIUM
I5MBZ61A-203237	MCT707203	NS	8	203	237	TABLE D	ALUMINIUM
I5MBZ61A-254292	MCT707254	NS	10	254	292	TABLE D	ALUMINIUM

*Table E - available on request

I9MBZ61A



Muff Coupling

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Hose OD mm	Flange type	Material
I9MBZ61A-076102	MCT706076-CI	NS	3	76	102	TABLE D	STEEL
I9MBZ61A-102128	MCT706102-CI	NS	4	102	128	TABLE D	STEEL
I9MBZ61A-127159	MCT706127-CI	NS	5	127	159	TABLE D	STEEL
I9MBZ61A-152184	MCT706152-CI	NS	6	152	184	TABLE D	STEEL
I9MBZ61A-203235	MCT706203-CI	NS	8	203	235	TABLE D	STEEL
I9MBZ61A-254286	MCT706254-CI	NS	10	254	286	TABLE D	STEEL
I9MBZ61A-300344	MCT706300-CI	NS	12	300	344	TABLE D	STEEL


*Table E - available on request

OptiFlo®

OptiFlo® Internal Expansion Coupling

Note: OptiFlo® Industrial Coupling are sold only as part of complete hose assemblies.

OptiFlo® - Internal Expansion Couplings are designed to provide a full flow, slim line, hose and coupling solution, where minimising flow loss is critical.




The OptiFlo® system encompasses from 25mm through to 152mm sizes, in Plated and Stainless Steel in a variety of end termination types, including:

- Combination Nipple - Male BSPT and NPT
- Female Swivel - JIC and Modified BSP
- Flanged - ANSI
- Victaulic - Grooved and Shouldered
- Food Industry - BSM and Triclover

RESTRAINT AND ENERGY DIFFUSION SYSTEMS

Alfagomma's extensive range of engineered designed Restraint and Energy Diffusion systems offer safety solutions critical hose assembly applications for general industry, mining and exploration



I1WCL82

Lanyard - Galvanised Steel - Copper Ferrule

I3WCL82

Lanyard - Stainless Steel - Copper Ferrule

I1WCS51

Stocking - Single Anchor Eye - Galvanized Steel - Aluminium Ferrule

I1WCS52

Stocking - Double Anchor Eye - Galvanized Steel - Aluminium Ferrule

I1WCS81

Stocking - Single Anchor Eye - Galvanized Steel - Copper Ferrule

I1WCS82

Stocking - Double Anchor Eye - Galvanized Steel - Copper Ferrule

I3WCS81

Stocking - Single Anchor Eye - Stainless Steel - Copper Ferrule


I3WCS82

Stocking - Double Anchor Eye - Stainless Steel - Copper Ferrule

VALVES

Ball Valve


I8VB6F6F



Ball Valve - Female BSP - Brass - with Lockable Handle

Code	A P N	Stock Ref	Thread inch	Thread type	Thread inch	Thread type	Material
I8VB6F6F-013013	BVB006LH	NS	1/4	BSP	1/4	BSP	BRASS
I8VB6F6F-017017	BVB010LH	NS	3/8	BSP	3/8	BSP	BRASS
I8VB6F6F-021021	BVB013LH	LS	1/2	BSP	1/2	BSP	BRASS
I8VB6F6F-027027	BVB019LH	LS	3/4	BSP	3/4	BSP	BRASS
I8VB6F6F-034034	BVB025LH	LS	1	BSP	1	BSP	BRASS
I8VB6F6F-042042	BVB032LH	NS	1 1/4	BSP	1 1/4	BSP	BRASS
I8VB6F6F-049049	BVB040LH	NS	1 1/2	BSP	1 1/2	BSP	BRASS
I8VB6F6F-060060	BVB050LH	NS	2	BSP	2	BSP	BRASS
I8VB6F6F-076076	BVB065LH	NS	2 1/2	BSP	2 1/2	BSP	BRASS
I8VB6F6F-090090	BVB080LH	NS	3	BSP	3	BSP	BRASS
I8VB6F6F-114114	BVB100LH	NS	4	BSP	4	BSP	BRASS


I3VB6F6F-2



Ball Valve - Female BSP - Stainless Steel - 2 piece with Lockable Handle

Code	A P N	Stock Ref	Thread inch	Thread type	Thread inch	Thread type	Material
I3VB6F6F-0130132	BVSS0062	LS	1/4	BSP	1/4	BSP	STAINLESS 316
I3VB6F6F-0170172	BVSS0102	LS	3/8	BSP	3/8	BSP	STAINLESS 316
I3VB6F6F-0210212	BVSS0152	LS	1/2	BSP	1/2	BSP	STAINLESS 316
I3VB6F6F-0270272	BVSS0202	LS	3/4	BSP	3/4	BSP	STAINLESS 316
I3VB6F6F-0340342	BVSS0252	LS	1	BSP	1	BSP	STAINLESS 316
I3VB6F6F-0420422	BVSS0322	NS	1 1/4	BSP	1 1/4	BSP	STAINLESS 316
I3VB6F6F-0490492	BVSS0402	LS	1 1/2	BSP	1 1/2	BSP	STAINLESS 316
I3VB6F6F-0600602	BVSS0502	LS	2	BSP	2	BSP	STAINLESS 316


I3VB6F6F-3



Ball Valve - Female BSP - Stainless Steel - 3 piece with Lockable Handle

Code	A P N	Stock Ref	Thread inch	Thread type	Thread inch	Thread type	Material
I3VB6F6F-0210213	BVSS0153	NS	1/2	BSP	1/2	BSP	STAINLESS 316
I3VB6F6F-0270273	BVSS0203	NS	3/4	BSP	3/4	BSP	STAINLESS 316
I3VB6F6F-0340343	BVSS0253	NS	1	BSP	1	BSP	STAINLESS 316
I3VB6F6F-0420423	BVSS0323	NS	1 1/4	BSP	1 1/4	BSP	STAINLESS 316
I3VB6F6F-0490493	BVSS0403	LS	1 1/2	BSP	1 1/2	BSP	STAINLESS 316
I3VB6F6F-0600603	BVSS0503	LS	2	BSP	2	BSP	STAINLESS 316
I3VB6F6F-0760763	BVSS0653	LS	2 1/2	BSP	2 1/2	BSP	STAINLESS 316
I3VB6F6F-0900903	BVSS0803	NS	3	BSP	3	BSP	STAINLESS 316
I3VB6F6F-1141143	BVSS1003	NS	4	BSP	4	BSP	STAINLESS 316

I8VB6F6F




Ball Valve - Female BSP - Polypropylene

Code	A P N	Stock Ref	Thread inch	Thread type	Thread inch	Thread type	Material
IPVB6F6F-021021	PBV013	NS	1/2	BSP	1/2	BSP	POLYPROPYLENE
IPVB6F6F-027027	PBV020	NS	3/4	BSP	3/4	BSP	POLYPROPYLENE
IPVB6F6F-034034	PBV025	NS	1	BSP	1	BSP	POLYPROPYLENE
IPVB6F6F-042042	PBV032	NS	1 1/4	BSP	1 1/4	BSP	POLYPROPYLENE
IPVB6F6F-049049	PBV040	NS	1 1/2	BSP	1 1/2	BSP	POLYPROPYLENE
IPVB6F6F-060060	PBV050	NS	2	BSP	2	BSP	POLYPROPYLENE

VALVES cont.

I9VB6F6F


Ball Valve - Female BSP OptiLoc™ Heavy Duty Mining - with Lockable Handle



Code	A P N	Stock Ref	Thread inch	Thread type	Thread inch	Thread type	Material
I9VB6F6F-021021		NS	1/2	BSP	1/2	BSP	STEEL
I9VB6F6F-027027		NS	3/4	BSP	3/4	BSP	STEEL
I9VB6F6F-034034		LS	1	BSP	1	BSP	STEEL
I9VB6F6F-049049		LS	1 1/2	BSP	1 1/2	BSP	STEEL
I9VB6F6F-060060		LS	2	BSP	2	BSP	STEEL

I9VB9L6F


Ball Valve - Type A to Female BSP OptiLoc™ Heavy Duty Mining - with Lockable Handle



Code	A P N	Stock Ref	Thread inch	Thread type	Claw distance mm	Material
I9VB9L6F-042034		LS	1	BSP	42	STEEL

I9VB9L7M


Ball Valve - Type A to Male BSPT OptiLoc™ Heavy Duty Mining - with Lockable Handle



Code	A P N	Stock Ref	Thread inch	Thread type	Claw distance mm	Material
I9VB9L7M-042034		LS	1	BSPT	42	STEEL

I9VB9L9L


Ball Valve - Type A OptiLoc™ Heavy Duty Mining - with Lockable Handle



Code	A P N	Stock Ref	Claw distance mm	Claw distance mm	Material
I9VB9L9L-042042		LS	42	42	STEEL

I9VB9N6F


Ball Valve - Type S to Female BSP OptiLoc™ Heavy Duty Mining - with Lockable Handle



Code	A P N	Stock Ref	Thread inch	Thread type	Claw distance mm	Material
I9VB9N6F-045034		LS	1	BSP	45	STEEL
I9VB9N6F-074049		LS	1 1/2	BSP	74	STEEL
I9VB9N6F-074060		LS	2	BSP	74	STEEL

I9VB9N7M


Ball Valve - Type S to Male BSPT OptiLoc™ Heavy Duty Mining - with Lockable Handle



Code	A P N	Stock Ref	Thread inch	Thread type	Claw distance mm	Material
I9VB9N7M-045034		LS	1	BSPT	45	STEEL

I9VB9N9N


Ball Valve - Type S OptiLoc™ Heavy Duty Mining - with Lockable Handle



Code	A P N	Stock Ref	Claw distance mm	Claw distance mm	Material
I9VB9N9N-045045		LS	45	45	STEEL
I9VB9N9N-074074		LS	74	74	STEEL

VALVES cont.


I9VB9R6F



Ball Valve - Shouldered to Female BSP OptiLoc™ Heavy Duty Mining - with Lockable Handle

Code	A P N	Stock Ref	Thread inch	Thread type	Shoulder OD mm	Material
I9VB9R6F-067034		LS	1	BSP	67	STEEL
I9VB9R6F-067060		NS	2	BSP	67	STEEL

I9VB9R9R




Ball Valve - Shouldered OptiLoc™ Heavy Duty Mining - with Lockable Handle

Code	A P N	Stock Ref	Shoulder OD mm	Shoulder OD mm	Material
I9VB9R9R-067067		NS	67	67	STEEL

Butterfly Valve

I9VY9R9R




Butterfly Valve - Shouldered

Code	A P N	Stock Ref	Shoulder OD mm	Shoulder OD mm	Material
I9VY9R9R-100100		NS	122	122	MALLEABLE IRON
I9VY9R9R-150150		NS	175	175	MALLEABLE IRON

Check Valve


I8VC6F6F



Check Valve - Swing Type Female BSP - Brass

Code	A P N	Stock Ref	Thread inch	Thread type	Thread inch	Thread type	Material
I8VC6F6F-060060F	CV051	NS	2	BSP	2	BSP	BRASS
I8VC6F6F-076076F	CV063	NS	2 1/2	BSP	2 1/2	BSP	BRASS
I8VC6F6F-090090F	CV076	NS	3	BSP	3	BSP	BRASS
I8VC6F6F-114114F	CV102	NS	4	BSP	4	BSP	BRASS

I3VC6F6F




Check Valve - Swing Type Female BSP - Stainless Steel

Code	A P N	Stock Ref	Thread inch	Thread type	Thread inch	Thread type	Material
I3VC6F6F-060060F	CVM051	NS	2	BSP	2	BSP	STAINLESS 316
I3VC6F6F-076076F	CVM063	NS	2 1/2	BSP	2 1/2	BSP	STAINLESS 316
I3VC6F6F-090090F	CVM076	NS	3	BSP	3	BSP	STAINLESS 316

Gate Valve

I8VG6F6F




Gate Valve - Female BSP - Brass

Code	A P N	Stock Ref	Thread inch	Thread type	Thread inch	Thread type	Material
I8VG6F6F-021021		NS	1/2	BSP	1/2	BSP	BRASS
I8VG6F6F-027027		NS	3/4	BSP	3/4	BSP	BRASS
I8VG6F6F-034034		NS	1	BSP	1	BSP	BRASS
I8VG6F6F-042042		NS	1 1/4	BSP	1 1/4	BSP	BRASS
I8VG6F6F-049049		NS	1 1/2	BSP	1 1/2	BSP	BRASS
I8VG6F6F-060060		NS	2	BSP	2	BSP	BRASS

VALVES cont.

Globe Valve

I8VO6F6F




Globe Valve - Female BSP - Brass

Code	A P N	Stock Ref	Thread inch	Thread type	Thread inch	Thread type	Material
I8VO6F6F-021021		NS	1/2	BSP	1/2	BSP	BRASS
I8VO6F6F-027027		NS	3/4	BSP	3/4	BSP	BRASS
I8VO6F6F-034034		NS	1	BSP	1	BSP	BRASS

Foot Valve & Strainer


I8VF6FST



Foot Valve - Female BSP - Brass

Code	A P N	Stock Ref	Thread inch	Thread type	Material
I8VF6FST-049000		NS	1 1/2	BSP	BRASS
I8VF6FST-060000		NS	2	BSP	BRASS
I8VF6FST-090000		NS	3	BSP	BRASS
I8VF6FST-114000		NS	4	BSP	BRASS

I1VFHTST



Foot Valve - Hose End


Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Material
I1VFHTST-076000		NS	3	76	PLATED STEEL
I1VFHTST-102000		NS	4	102	PLATED STEEL
I1VFHTST-152000		NS	6	152	PLATED STEEL

CLAMPS & FERRULES

Superclamp

I1LP10

Superclamp - Single Bolt




Code	A P N	Stock Ref	Hose OD min mm	Hose OD max mm	Clamp width mm	Material
I1LP10-01918	SC-017	LS	17	19	18	PLATED STEEL
I1LP10-02218	SC-019	LS	20	22	18	PLATED STEEL
I1LP10-02318	SC-021	LS	21	23	18	PLATED STEEL
I1LP10-02518	SC-023	LS	23	25	18	PLATED STEEL
I1LP10-02818	SC-025	LS	26	28	18	PLATED STEEL
I1LP10-02918	SC-027	LS	27	29	18	PLATED STEEL
I1LP10-03121	SC-029	LS	29	31	21	PLATED STEEL
I1LP10-03521	SC-031	LS	32	35	21	PLATED STEEL
I1LP10-03718	SC-034	LS	34	37	18	PLATED STEEL
I1LP10-03921	SC-037	LS	36	39	21	PLATED STEEL
I1LP10-04321	SC-040	LS	40	43	21	PLATED STEEL
I1LP10-04721	SC-043	LS	44	47	21	PLATED STEEL
I1LP10-05121	SC-047	LS	48	51	21	PLATED STEEL
I1LP10-05521	SC-051	LS	52	55	21	PLATED STEEL
I1LP10-05921	SC-055	LS	56	59	21	PLATED STEEL
I1LP10-06321	SC-059	LS	60	63	21	PLATED STEEL
I1LP10-06721	SC-063	LS	64	67	21	PLATED STEEL
I1LP10-07324	SC-068	LS	68	73	24	PLATED STEEL
I1LP10-07924	SC-073	LS	74	79	24	PLATED STEEL
I1LP10-08524	SC-079	LS	80	85	24	PLATED STEEL
I1LP10-09124	SC-085	LS	86	91	24	PLATED STEEL
I1LP10-09724	SC-091	LS	92	97	24	PLATED STEEL
I1LP10-10324	SC-097	LS	98	103	24	PLATED STEEL
I1LP10-11224	SC-104	LS	104	112	24	PLATED STEEL
I1LP10-12124	SC-112	LS	113	121	24	PLATED STEEL
I1LP10-13026	SC-121	LS	122	130	26	PLATED STEEL
I1LP10-13926	SC-130	LS	131	139	26	PLATED STEEL
I1LP10-14826	SC-140	LS	140	148	26	PLATED STEEL
I1LP10-16126	SC-150	LS	149	161	26	PLATED STEEL
I1LP10-17426	SC-162	LS	162	174	26	PLATED STEEL
I1LP10-18726	SC-174	LS	175	187	26	PLATED STEEL
I1LP10-20026	SC-187	LS	188	200	26	PLATED STEEL
I1LP10-21326	SC-200	LS	201	213	26	PLATED STEEL
I1LP10-22626	SC-213	LS	214	226	26	PLATED STEEL
I1LP10-23926	SC-226	LS	227	239	26	PLATED STEEL
I1LP10-25226	SC-239	LS	240	252	26	PLATED STEEL

CLAMPS & FERRULES cont.

I2LP10

Superclamp - Single Bolt - Stainless Steel




Code	A P N	Stock Ref	Hose OD min mm	Hose OD max mm	Clamp width mm	Material
I2LP10-01918	SSC-017	LS	17	19	18	STAINLESS 304
I2LP10-02118	SSC-019	NS	19	21	18	STAINLESS 304
I2LP10-02218	SSC-020	NS	20	22	18	STAINLESS 304
I2LP10-02518	SSC-023	NS	23	25	18	STAINLESS 304
I2LP10-02818	SSC-026	NS	26	28	18	STAINLESS 304
I2LP10-02918	SSC-027	NS	27	29	18	STAINLESS 304
I2LP10-03121	SSC-029	LS	29	31	21	STAINLESS 304
I2LP10-03420	SSC-031	NS	31	34	20	STAINLESS 304
I2LP10-03521	SSC-032	LS	32	35	21	STAINLESS 304
I2LP10-03720	SSC-034	LS	34	37	20	STAINLESS 304
I2LP10-03921	SSC-036	LS	36	39	21	STAINLESS 304
I2LP10-04321	SSC-040	LS	40	43	21	STAINLESS 304
I2LP10-04721	SSC-044	LS	44	47	21	STAINLESS 304
I2LP10-05121	SSC-048	LS	48	51	21	STAINLESS 304
I2LP10-05521	SSC-052	LS	52	55	21	STAINLESS 304
I2LP10-05920	SSC-055	NS	55	59	20	STAINLESS 304
I2LP10-05921	SSC-056	LS	56	59	21	STAINLESS 304
I2LP10-06321	SSC-060	LS	60	63	21	STAINLESS 304
I2LP10-06721	SSC-064	LS	64	67	21	STAINLESS 304
I2LP10-07324	SSC-068	NS	68	73	24	STAINLESS 304
I2LP10-07924	SSC-074	LS	74	79	24	STAINLESS 304
I2LP10-08524	SSC-080	LS	80	85	24	STAINLESS 304
I2LP10-09124	SSC-086	LS	86	91	24	STAINLESS 304
I2LP10-09724	SSC-092	LS	92	97	24	STAINLESS 304
I2LP10-10324	SSC-098	LS	98	103	24	STAINLESS 304
I2LP10-11224	SSC-104	LS	104	112	24	STAINLESS 304
I2LP10-12124	SSC-113	LS	113	121	24	STAINLESS 304
I2LP10-13026	SSC-122	LS	122	130	26	STAINLESS 304
I2LP10-13926	SSC-131	NS	131	139	26	STAINLESS 304
I2LP10-14826	SSC-140	NS	140	148	26	STAINLESS 304
I2LP10-16126	SSC-149	LS	149	161	26	STAINLESS 304
I2LP10-17426	SSC-162	LS	162	174	26	STAINLESS 304
I2LP10-18726	SSC-175	NS	175	187	26	STAINLESS 304
I2LP10-20026	SSC-188	LS	188	200	26	STAINLESS 304
I2LP10-23926	SSC-227	LS	227	239	26	STAINLESS 304
I2LP10-25226	SSC-240	NS	239	252	26	STAINLESS 304

CLAMPS & FERRULES cont.

Wormdrive Clamp


I1WDC



Wormdrive Clamp

Code	A P N	Stock Ref	Hose OD min mm	Hose OD max mm	Clamp width mm	Material
I1WDC09-008012	8-12/9W1	LS	8	12	9	PLATED STEEL
I1WDC09-010016	10-16/9W1	LS	10	16	9	PLATED STEEL
I1WDC09-012022	12-22/9W1	LS	12	22	9	PLATED STEEL
I1WDC12-012027	12-27/12W1	NS	12	27	12	PLATED STEEL
I1WDC12-016027	16-27/12W1	LS	16	27	12	PLATED STEEL
I1WDC12-020032	20-32/12W1	LS	20	32	12	PLATED STEEL
I1WDC12-025040	25-40/12W1	LS	25	40	12	PLATED STEEL
I1WDC12-030045	30-45/12W1	LS	30	45	12	PLATED STEEL
I1WDC12-032050	32-50/12W1	LS	32	50	12	PLATED STEEL
I1WDC12-035050	35-50/12W1	LS	35	50	12	PLATED STEEL
I1WDC12-040060	40-60/12W1	LS	40	60	12	PLATED STEEL
I1WDC12-050070	50-70/12W1	LS	50	70	12	PLATED STEEL
I1WDC12-060080	60-80/12W1	NS	60	80	12	PLATED STEEL
I1WDC12-070090	70-90/12W1	NS	70	90	12	PLATED STEEL
I1WDC12-090110	90-110/12W1	LS	90	110	12	PLATED STEEL
I1WDC12-110130	110-130/12W1	LS	110	130	12	PLATED STEEL
I1WDC12-140160	140-160/12W1	NS	140	160	12	PLATED STEEL
I1WDC12-160180	160-180/12W1	NS	160	180	12	PLATED STEEL
I1WDC12-180200	180-200/12W1	NS	180	200	12	PLATED STEEL
I1WDC12-210230	210-230/12W1	NS	210	230	12	PLATED STEEL

I2WDC




Wormdrive Clamp - Stainless Steel

Code	A P N	Stock Ref	Hose OD min mm	Hose OD max mm	Clamp width mm	Material
I2WDC08-006016	MAH004	LS	6	16	8	STAINLESS 304
I2WDC09-008016	8-16/9W3	LS	8	16	9	STAINLESS 304
I2WDC13-011022	HAS006	LS	11	22	13	STAINLESS 304
I2WDC12-016025	16-25/12W3	LS	16	25	12	STAINLESS 304
I2WDC13-013025	HAS008	LS	13	25	13	STAINLESS 304
I2WDC13-014027	HAS010	LS	14	27	13	STAINLESS 304
I2WDC12-020032	20-32/12W3	LS	20	32	12	STAINLESS 304
I2WDC13-018032	HAS012	LS	18	32	13	STAINLESS 304
I2WDC13-021038	HAS016	LS	21	38	13	STAINLESS 304
I2WDC12-025040	25-40/12W3	LS	25	40	12	STAINLESS 304
I2WDC13-021044	HAS020	LS	21	44	13	STAINLESS 304
I2WDC12-035050	32-50/12W3	LS	35	50	12	STAINLESS 304
I2WDC13-027051	HAS024	LS	27	51	13	STAINLESS 304
I2WDC13-033057	HAS028	LS	33	57	13	STAINLESS 304
I2WDC12-040060	40-60/12W3	LS	40	60	12	STAINLESS 304
I2WDC13-040064	HAS032	LS	40	64	13	STAINLESS 304
I2WDC12-050070	50-70/12W3	LS	50	70	12	STAINLESS 304
I2WDC13-046070	HAS036	LS	46	70	13	STAINLESS 304
I2WDC13-052076	HAS040	LS	52	76	13	STAINLESS 304
I2WDC13-060080	HAS044	NS	60	80	13	STAINLESS 304
I2WDC13-065089	HAS048	LS	65	89	13	STAINLESS 304
I2WDC12-070090	70-90/12W3	LS	70	90	12	STAINLESS 304
I2WDC12-080100	80-100/12W3	LS	80	100	12	STAINLESS 304
I2WDC13-078102	HAS056	LS	78	102	13	STAINLESS 304
I2WDC13-090114	HAS064	LS	90	114	13	STAINLESS 304
I2WDC13-103127	HAS072	LS	103	127	13	STAINLESS 304
I2WDC12-110130	110-130/12W3	NS	110	130	12	STAINLESS 304
I2WDC12-130150	130/150/12W3	NS	130	150	12	STAINLESS 304
I2WDC12-140160	140-160/12W3	NS	140	160	12	STAINLESS 304
I2WDC13-115165	HAS096	LS	115	165	13	STAINLESS 304

CLAMPS & FERRULES cont.

Band-It System

I0LLT0



Banding Tool

Code	A P N	Stock Ref	Application
I0LLT0	B001	LS	10-19MM WIDTH BAND & BUCKLES


I2LLF0



Band

Code	A P N	Stock Ref	Band width mm	Band width inch	Band thickness mm	Pack qty m	Material
I2LLF0-010T	B203	LS	10	3/8	0.64	30	STAINLESS 304
I2LLF0-013T	B204	LS	13	1/2	0.76	30	STAINLESS 304
I2LLF0-019T	B206	LS	19	3/4	0.76	30	STAINLESS 304

I2LLB0



Buckle

Code	A P N	Stock Ref	Band width mm	Band width inch	Band thickness mm	Pack qty each	Material
I2LLB0-010	B253	LS	10	3/8	0.64	30	STAINLESS 304
I2LLB0-013	B254	LS	13	1/2	0.76	30	STAINLESS 304
I2LLB0-019	B256	LS	19	3/4	0.76	30	STAINLESS 304


I0PFT0



Preform Clamp Adaptor Tool

Code	A P N	Stock Ref	Application
I0PFT0	J001	NS	FOR USE WITH I0LLT0 BANDING TOOL FOR PREFORM CLAMPS


I2PF00



Preform Clamp

Code	A P N	Stock Ref	Hose ID inch	Clamp width mm	Pack qty each	Material
I2PF00-020010	J201	NS	20	10	100	STAINLESS 201
I2PF00-025010	J243	LS	25	10	100	STAINLESS 201
I2PF00-031013	J204	NS	31	13	100	STAINLESS 201
I2PF00-034010	J202	LS	34	10	100	STAINLESS 201
I2PF00-038016	J205	LS	38	16	100	STAINLESS 201
I2PF00-044016	J206	LS	44	16	100	STAINLESS 201
I2PF00-050016	J207	LS	50	16	100	STAINLESS 201
I2PF00-057016	J208	LS	57	16	100	STAINLESS 201
I2PF00-069019	J210	LS	69	19	50	STAINLESS 201
I2PF00-076019	J211	LS	76	19	50	STAINLESS 201
I2PF00-101019	J213	NS	101	19	25	STAINLESS 201

I2PFJR




Preform Clamp - Smooth ID

Code	A P N	Stock Ref	Hose ID inch	Clamp width mm	Pack qty each	Material
I2PFJR-031013	JS204	NS	31	13	100	STAINLESS 201
I2PFJR-044013	JS236	NS	44	13	100	STAINLESS 201
I2PFJR-050010	JS245	NS	50	10	100	STAINLESS 201
I2PFJR-050013	JS237	NS	50	13	100	STAINLESS 201
I2PFJR-063013	JS233	NS	63	13	100	STAINLESS 201
I2PFJR-063016	JS209	NS	63	16	100	STAINLESS 201
I2PFJR-069013	JS230	NS	69	13	100	STAINLESS 201
I2PFJR-076013	JS234	NS	76	13	100	STAINLESS 201
I2PFJR-088019	JS212	NS	88	19	50	STAINLESS 201
I2PFJR-127019	JS215	NS	127	19	25	STAINLESS 201

CLAMPS & FERRULES cont.


I0CPT0



Centre Punch Clamp Tool

Code	A P N	Stock Ref	Application
I0CPT0	T300	LS	16MM WIDTH CENTRE PUNCH CLAMPS


I2CP00



Centre Punch Clamp

Code	A P N	Stock Ref	Hose ID inch	Clamp width mm	Pack qty each	Material
I2CP00-025016	CP4S	LS	25	16	100	STAINLESS 201
I2CP00-031016	CP5S	LS	31	16	100	STAINLESS 201
I2CP00-038016	CP6S	LS	38	16	100	STAINLESS 201
I2CP00-044016	CP7S	LS	44	16	100	STAINLESS 201
I2CP00-050016	CP8S	NS	50	16	100	STAINLESS 201
I2CP00-057016	CP9S	LS	57	16	100	STAINLESS 201
I2CP00-063016	CP10S	LS	63	16	50	STAINLESS 201
I2CP00-069016	CP11S	LS	69	16	50	STAINLESS 201
I2CP00-076016	CP12S	LS	76	16	50	STAINLESS 201
I2CP00-088016	CP14S	LS	88	16	50	STAINLESS 201
I2CP00-101016	CP16S	LS	101	16	25	STAINLESS 201
I2CP00-127016	CP20S	LS	127	16	25	STAINLESS 201
I2CP00-152016	CP24S	LS	152	16	25	STAINLESS 201
I2CP00-177016	CP30S	NS	177	16	25	STAINLESS 201

I0ULT0



Ultra-Lok Clamp Adaptor Tool

Code	A P N	Stock Ref	Application
I0ULT0		NS	FOR USE WITH *DRILL FOR ULTRA-LOK CLAMPS

*Metabo model SBE1010 drill is recommended

I2UL00




Ultra-Lok Clamp

Code	A P N	Stock Ref	Hose ID inch	Clamp width mm	Pack qty each	Material
I2UL00-069019	UL210	LS	69	19	50	STAINLESS 201
I2UL00-101019	UL213	LS	101	19	25	STAINLESS 201
I2UL00-127019	UL215	LS	127	19	25	STAINLESS 201
I2UL00-152019	UL216	NS	152	19	25	STAINLESS 201
I2UL00-165019	UL217	LS	165	19	25	STAINLESS 201
I2UL00-177019	UL218	LS	177	19	25	STAINLESS 201
I2UL00-228019	UL228	LS	228	19	10	STAINLESS 201

CLAMPS & FERRULES cont.

Double Bolt Clamp


I1LP20



Double Bolt Clamp

Code	A P N	Stock Ref	Hose OD min mm	Hose OD max mm	Material
I1LP20-02200	DBC017022	LS	17	22	PLATED STEEL
I1LP20-02900	DBC022029	LS	22	29	PLATED STEEL
I1LP20-03400	DBC029034	LS	29	34	PLATED STEEL
I1LP20-04100	DBC033041	LS	33	41	PLATED STEEL
I1LP20-04900	DBC041049	LS	41	49	PLATED STEEL
I1LP20-06000	DBC048060	LS	49	60	PLATED STEEL
I1LP20-07600	DBC060076	LS	60	76	PLATED STEEL
I1LP20-09400	DBC077094	LS	77	94	PLATED STEEL
I1LP20-10200	DBC089102	LS	89	102	PLATED STEEL
I1LP20-10900	DBC102109	LS	102	109	PLATED STEEL
I1LP20-11400	DBC095114	LS	95	114	PLATED STEEL
I1LP20-12700	DBC106127	LS	106	127	PLATED STEEL
I1LP20-14000	DBC127140	LS	127	140	PLATED STEEL
I1LP20-15400	DBC140154	NS	140	154	PLATED STEEL
I1LP20-17500	DBC156175	LS	156	175	PLATED STEEL
I1LP20-19400	DBC176194	LS	176	194	PLATED STEEL
I1LP20-20800	DBC195208	NS	195	208	PLATED STEEL
I1LP20-22500	DBC210225	LS	210	225	PLATED STEEL
I1LP20-25000	DBC227250	NS	227	250	PLATED STEEL
I1LP20-28900	DBC252289	NS	252	289	PLATED STEEL

I9LP20




Double Bolt Clamp - DIN 20039A

Code	A P N	Stock Ref	Hose OD min mm	Hose OD max mm	Material
I9LP20-04000	SL40	LS	32	40	MALLEABLE IRON
I9LP20-06000	SL60	LS	48	60	MALLEABLE IRON
I9LP20-07600	SL76	LS	60	76	MALLEABLE IRON
I9LP20-09400	SL94	LS	77	94	MALLEABLE IRON
I9LP20-12700	SL525	NS	113	127	MALLEABLE IRON
I9LP20-17500	SL675	LS	155	175	MALLEABLE IRON
I9LP20-22500	SL875	LS	210	225	MALLEABLE IRON

Spiral Clamp

I1SCR0




Spiral Clamps - for Corrugated Hose - clockwise, left to right spiral construction

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Material
I1SCR0-03800	SDBC038R	NS	1 1/2	38	PLATED STEEL
I1SCR0-05100	SDBC051R	LS	2	51	PLATED STEEL
I1SCR0-06300	SDBC063R	NS	2 1/2	63	PLATED STEEL
I1SCR0-07600	SDBC076R	LS	3	76	PLATED STEEL
I1SCR0-10200	SDBC102R	LS	4	102	PLATED STEEL
I1SCR0-12700	SDBC127R	LS	5	127	PLATED STEEL
I1SCR0-15200	SDBC152R	LS	6	152	PLATED STEEL
I1SCR0-20300	SDBC203R	LS	8	203	PLATED STEEL

CLAMPS & FERRULES cont.

Crimping Ring

R1YBFF0



Crimping Ring

Code	A P N	Stock Ref	ID mm	OD mm	Length mm	Material
R1YBFF0-0202625	CST254	NS	20.2	25.4	25	STEEL
R1YBFF0-0232625	CST286	NS	23.4	28.6	25	STEEL
R1YBFF0-0262625	CST318	NS	26.6	31.8	25	STEEL
R1YBFF0-0351525	CST380	NS	35.0	38.0	25	STEEL
R1YBFF0-0392625	CST445	NS	39.3	44.5	25	STEEL

R2YBFF0




Crimping Ring - Stainless Steel

Code	A P N	Stock Ref	ID mm	OD mm	Length mm	Material
R2YBFF0-0201520	SSTF20MM	NS	22.2	25.4	19	STAINLESS 304
R2YBFF0-0241520	SSTF24MM	NS	24.0	27.0	19	STAINLESS 304
R2YBFF0-0351520	SSTF35MM	NS	35.3	38.0	19	STAINLESS 304
R2YBFF0-0461520	SSTF46MM	NS	46.0	49.0	19	STAINLESS 304
R2YBFF0-0531525	SSTF54MM	NS	53.9	57.0	25	STAINLESS 304

Serrated Ferrule


I107U



Serrated Ferrule

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Hose OD min mm	Hose OD max mm	Material
I107U038-049053		NS	1 1/2	38	49	53	PLATED STEEL
I107U051-060064		NS	2	51	60	64	PLATED STEEL
I107U051-064067		NS	2	51	64	67	PLATED STEEL
I107U051-068074		NS	2	51	68	74	PLATED STEEL
I107U063-079082		NS	2 1/2	63	79	82	PLATED STEEL
I107U063-087091		NS	2 1/2	63	87	91	PLATED STEEL
I107U076-088102		NS	3	76	88	102	PLATED STEEL
I107U076-089092		NS	3	76	89	93	PLATED STEEL
I107U076-095101		NS	3	76	95	101	PLATED STEEL
I107U102-117122		NS	4	102	117	122	PLATED STEEL
I107U102-128135		NS	4	102	128	135	PLATED STEEL


I307U



Serrated Ferrule - Stainless Steel

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Hose OD min mm	Hose OD max mm	Material
I307U038-049053		NS	1 1/2	38	49	53	STAINLESS 316
I307U051-064067		NS	2	51	64	67	STAINLESS 316
I307U051-068074		NS	2	51	68	74	STAINLESS 316
I307U063-087091		NS	2 1/2	63	87	91	STAINLESS 316
I307U076-089092		NS	3	76	89	93	STAINLESS 316
I307U076-095101		NS	3	76	95	101	STAINLESS 316
I307U102-117122		NS	4	102	117	122	STAINLESS 316
I307U102-128135		NS	4	102	128	135	STAINLESS 316

I10609




Serrated Ferrule

Code	A P N	Stock Ref	Hose ID inch	Hose ID mm	Hose OD min mm	Hose OD max mm	Material
I10609-125		NS	5	127	138	147	PLATED STEEL
I10609-150		NS	6	152	160	174	PLATED STEEL
I10202-200		NS	8	203	217	225	PLATED STEEL

CLAMPS & FERRULES cont.

Hydraulic Ferrule

H1200203



Serrated Hydraulic and Industrial Ferrule

*CONSULT ALFAGOMMA HYDRAULIC CRIMP FITTING CATALOGUE



ALFAGOMMA AUSTRALIA PTY LTD
SETTING NEW STANDARDS

ABN 54 052 243 366

Head Office 12 Healey Circuit
Huntingwood, New South Wales, 2148
Phone (02) 9853 0950
Fax (02) 9853 0999
Email: alfagomma@alfagomma.com.au

Sydney 12 Healey Circuit
Huntingwood, New South Wales, 2148
Phone (02) 9853 0900
Fax (02) 9853 0949
Email: alfagomma.sydney@alfagomma.com.au

Newcastle 4 Kennington Drive
Tomago, New South Wales, 2322
Phone (02) 4985 9900
Fax (02) 4985 9949
Email: alfagomma.newcastle@alfagomma.com.au

Melbourne 2 Kingston Park Court
Scoresby, Victoria, 3179
Phone (03) 9757 2300
Fax (03) 9757 2349
Email: alfagomma.melbourne@alfagomma.com.au

Brisbane 59 Export Street
Lytton, QLD 4178
Phone (07) 3893 5400
Fax (07) 3893 5449
Email: alfagomma.brisbane@alfagomma.com.au

Mackay 8 - 10 Fursden Street
Glenella, Mackay, Queensland, 4740
Phone (07) 4969 2700
Fax (07) 4969 2749
Email: alfagomma.mackay@alfagomma.com.au

Mt Isa 75 Simpson Street
Mt Isa, Queensland, 4825
Phone (07) 4743 2898
Fax (07) 4743 8163
Email: alfagomma.mtisa@alfagomma.com.au

Perth 1 Tacoma Circuit
Canning Vale, Western Australia, 6155
Phone (08) 9424 8600
Fax (08) 9424 8649
Email: alfagomma.perth@alfagomma.com.au

Kalgoorlie Unit 1, 15 Williams Street
Kalgoorlie, Western Australia, 6430
Phone (08) 9026 1500
Fax (08) 9026 1549
Email: alfagomma.kalgoorlie@alfagomma.com.au

Specifications subject to change without notice E. & O.E.

Any contract for sale of products between Alfagomma Australia Pty. Ltd. and any customer shall be in accordance with the terms and conditions advised prior to or at the time of order.